



PREET GLOW

Architectural Lighting Catalogue

EDITION 2026

Panels & Downlights · COB Spotlights · Gate & Outdoor · Track · Profiles & Strips
Magnetic Track · Waterproof Highlighters · Underwater & Pool · Flood, Street & Solar

Parag Sanghvi · +91 93203 34216
sanghviparag1978@gmail.com

Perfecting lighting for every space.

www.preetglow.com



FOUNDER

Parag Sanghvi

Founder · Preet Glow

Preet Glow is built on a simple belief — good light changes how a space feels. For over two decades we have supplied architects, contractors and homeowners with dependable, well-finished luminaires for interiors, facades, gardens and pools.

Every fitting in this catalogue is selected for build quality, thermal performance and finish consistency, and is backed by personal after-sales support.

Parag Sanghvi · +91 93203 34216
sanghviparag1978@gmail.com



Contents

01	Panel Lights & Downlights	3
02	COB Spotlights & Decorative Lighting	8
03	Gate Lights & Outdoor Lighting	39
04	Track Lights	82
05	Waterproof Outdoor Highlighters	85
06	Underwater, Pool & Inground Lights	106
07	Flood Lights, Street & Solar Street Lights	118
08	Aluminium Profiles, LED Strips & Drivers	122
09	Magnetic Track & Fittings	160

All products carry Preet Glow SKU codes. No pricing is published in this catalogue.



01

Panel Lights & Downlights

Recessed and surface panels, downlights and spot downlights.

TYPICAL SPECIFICATION

Wattages: 6W · 9W · 12W · 18W · 24W
Colour temperature: 3000K · 4000K · 6500K
Finishes: White · Black · Custom on request

8 products in this section



Slim LED Panel — Round & Square

001

PG-PNL-001

VARIANTS

8W / 15W / 22W / 24W / 30W

DIMENSIONS

Round Ø90-Ø300 mm; cut-out Ø70-Ø285 mm · Square 90×90-300×300 mm; cut-out 70×70-285×285 mm

COLOUR

Cool White 6500K / Natural White 4000K / Warm White 3000K/3 in 1

FINISH

White powder-coated aluminium frame



Surface LED Panel — Round & Square

002

PG-PNL-008

VARIANTS

8W / 15W / 22W / 24W / 30W

DIMENSIONS

Round Ø90-Ø300 mm · Square 90×90-300×300 mm; no cut-out required

COLOUR

Cool White 6500K / Natural White 4000K / Warm White 3000K/3 in 1

FINISH

White powder-coated aluminium body



Double Colour Slim Panel

003

PG-PNL-009

VARIANTS

3+3W / 6+3W / 12+4W (round & square)

DIMENSIONS

Ø105×H25 / Ø145×H25 / Ø195×H25 mm · 105×105 / 145×145 / 195×195 mm; cut-out Ø90 / Ø120 / Ø160 mm

COLOUR

Centre White / Warm White / Natural White · outer ring Blue / Green / Pink / RGB / white x blue / white x pink / white x green / white x RGB / white x Jelly RGB

FINISH

White frame with colour acrylic outer ring



Double Colour Surface Panel

PG-PNL-010

VARIANTS

3+3W / 6+3W / 12+4W (round & square)

DIMENSIONS

Ø105×H35 / Ø145×H35 / Ø195×H35 mm · 105×105 / 145×145 / 195×195 mm; surface mounted

COLOUR

Centre White / Warm White / Natural White · outer ring Blue / Green / Pink / RGB / white x blue / white x pink / white x green / white x RGB / white x Jelly RGB

FINISH

White body with colour acrylic outer ring

004



Flat Downlight

PG-PNL-006

VARIANTS

12W / 18W / 24W / 32W (round & square)

DIMENSIONS

Ø115×H45 / Ø145×H45 / Ø165×H45 / Ø215×H45 mm; cut-out Ø75 / Ø135 / Ø155 / Ø205 mm

COLOUR

Cool White / Natural White / Warm White

FINISH

White / Black

005



Ora Downlights

PG-PNL-011

VARIANTS

7W / 12W / 18W · 60° beam

DIMENSIONS

Ø68×H48 / Ø82×H58 / Ø96×H66 mm; cut-out Ø60 / Ø75 / Ø85 mm

COLOUR

Cool White / Natural White / Warm White

FINISH

White+Gold / Champagne Gold / Rose Gold / Gun Black / White / Black

006



Surface Cylinders

PG-PNL-007

VARIANTS

7W / 12W / 15W

DIMENSIONS

Ø82×H43 / Ø103×H51 / Ø132×H56 mm

COLOUR

Cool White / Natural White / Warm White

FINISH

White / Black



Flow PC Panel Light

PG-PNL-012

VARIANTS

8W / 15W (5") / 15W (6") / 22W (8") / 22W (6") for round and square

DIMENSIONS

Round Ø75-Ø221 mm; cut-out Ø62-Ø209 mm · Square 75×75-221×221 mm; cut-out 62×62-209×209 mm · Beam 120° · 130-140

COLOUR

Cool White 6500K / Natural White 4000K / 5000K / Warm White 3000K / 3 in 1

FINISH

White polycarbonate housing



02

COB Spotlights & Decorative Lighting

COB spots, surface cylinders, linear and decorative fittings.

TYPICAL SPECIFICATION

Wattages: 3W · 5W · 7W · 12W · 18W · 24W · 30W

Colour temperature: 2700K · 3000K · 4000K · 6500K

Finishes: White · Black · Black + gold

89 products in this section

001

Flose Trimless

PG-COB-001

VARIANTS

PE-001 · 10W / 15W

DIMENSIONS

PE-001-10W — 100 x 100 | PE-001-15W — 120x 120

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

PCN



002

Oscen Trimless

PG-COB-002

VARIANTS

PE-002 · 10W / 15W / 20W

DIMENSIONS

PE-002-10W — 65 x 65 | PE-002-15W — 65 x 65 | PE-002-20W — 85x 85

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

MB · RG · PCN



003

Fitlas

PG-COB-003

VARIANTS

PE-003 · 10W / 15W / 20W

DIMENSIONS

PE-003-10W — 85 x 65 | PE-003-15W — 75x70 | PE-003-20W — 85x 88

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

Matt White / Matt Black



004



Lexo

PG-COB-004

VARIANTS

PE-006 · 12W

DIMENSIONS

PE-006-12W — 60 x 60 x 85

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

PCN

005



Cosmo

PG-COB-005

VARIANTS

PE-004 · 15W

DIMENSIONS

PE-004-15W — 75x72

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

Matt White / Matt Black

006



Judo

PG-COB-006

VARIANTS

PE-005 · 10W

DIMENSIONS

PE-005-10W — 53x 66

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

PCN



Tesla

PG-COB-007

VARIANTS

PE-007 · 12W / 18W

DIMENSIONS

PE-007-12W — 65 x 65 | PE-007-18W — 85 x 85

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

MB · PCN

007



Rafale

PG-COB-008

VARIANTS

PE-008 · 7W / 12W / 18W

DIMENSIONS

PE-008-7W — 42 x 42 x 75 | PE-008-12W — 52 x 52 x 90 |
PE-008-18W — 42 x 62 x 120

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

Matt White / Matt Black

008



Rafale Trimless

PG-COB-009

VARIANTS

PE-009 · 7W / 12W / 18W

DIMENSIONS

PE-009-7W — 42x42x75 | PE-009-12W — 52 x 52 x 90 |
PE-009-18W — 62 x 62 x 120

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

MB · PCN

009



Mirage

PG-COB-010

VARIANTS

PE-012 · 7W / 12W / 18W

DIMENSIONS

PE-012-7W — 35x35x75 | PE-012-12W — 45 x 45 x 90 |
PE-012-18W — 55 x 55 x 120

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

MW · MB · SB

010



Cresta

PG-COB-011

VARIANTS

PE-010 · 7W / 12W / 18W

DIMENSIONS

PE-010-7W — 50 x 50 x 60 | PE-010-12W — 55x55x70 |
PE-010-18W — 70x 70 x 90

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

MW · MB

011



Cresta Tea Gold

PG-COB-012

VARIANTS

PE-011 · 7W / 18W

DIMENSIONS

PE-011-7W — 70 x 70 x 63 | PE-011-18W — 90 x 90 x 86

COLOUR


Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

TEA GOLD

012

013



Flare

PG-COB-013

VARIANTS

PE-013A · 12W

DIMENSIONS

PE-013A-12W — 55x55x70

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

Matt White / Matt Black

014



Flare Beta

PG-COB-014

VARIANTS

PE-013B · 12W

DIMENSIONS

PE-013B-12W — 60 x 60 x 70

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

MB

015



Flare Gama

PG-COB-015

VARIANTS

PE-013C · 12W

DIMENSIONS

PE-013C-12W — 60 x 60 x 70

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

MW

016



GLC-272

PG-COB-016

VARIANTS

GLC-272 · 12W

DIMENSIONS

GLC-272-12W — 60 x 85

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

SILVER

017



GLC-253

PG-COB-017

VARIANTS

GLC-253 · 12W

DIMENSIONS

GLC-253-12W — 55 x 55 x 105

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

SILVER

018



GLC-251

PG-COB-018

VARIANTS

GLC-251 · 5W / 12W

DIMENSIONS

GLC-251-5W — 32x32x90 | GLC-251-12W — 43 x 43 x 100

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

PBW

019

Vogue

PG-COB-019

VARIANTS

PE-017 · 7W / 12W

DIMENSIONS

PE-017-7W — 42 x 42 x 60 | PE-017-12W — 62 x 62 x 60

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

SILVER



020

Duo Couple Cob

PG-COB-020

VARIANTS

PE-018 · 14W / 24W

DIMENSIONS

PE-018-14W — 68 x 134 | PE-018-24W — 85 x 170

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

Matt White / Matt Black



021

Zeon

PG-COB-021

VARIANTS

PE-019 · 7W / 12W / 18W

DIMENSIONS

PE-019-7W — 63 x 63 x 43 | PE-019-12W — 80 x 80 x 44 |

PE-019-18W — 94 x 94 x 51

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

RG · GB





Swell Curve Heat Sink

PG-COB-022

VARIANTS

PE-020A · 7W / 12W

DIMENSIONS

PE-020A-7W — 42 x 42 x 73 | PE-020A-12W — 52 x 52 x 80

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

Matt White / Matt Black

022



Swell Curve Trimless

PG-COB-023

VARIANTS

PE-020B · 12W

DIMENSIONS

PE-020B-12W — 72 x 72 x 80

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

Matt White / Matt Black

023



Dora Cob Detachable

PG-COB-024

VARIANTS

PE-021 · 7W / 12W / 18W

DIMENSIONS

PE-021-7W — 62 x 62 | PE-021-12W — 90 x 90 | PE-021-18W — 110 x 110

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

Matt White / Matt Black

024



Glint Pro Detachable

PG-COB-025

VARIANTS

PE-022 · 7W / 12W / 18W

DIMENSIONS

PE-022-7W — 62x62x70 | PE-022-12W — 85x85x85 |

PE-022-18W — 105 x 105 x 108

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

BK · PKW

025



Voxy Detachable Frameless

PG-COB-026

VARIANTS

PE-023 · 7W / 12W / 18W

DIMENSIONS

PE-023-7W — 62x62x70 | PE-023-12W — 85x85x85 |

PE-023-18W — 105 x 105 x 108

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

BK · PKW

026



Ornate Honey Comb Square

PG-COB-027

VARIANTS

PE-024 · 7W / 12W

DIMENSIONS

PE-024-7W — 65 x 65 x 52 | PE-024-12W — 85 x 167 x 63

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

BK · PKW

027

028

Rio Low Deep**PG-COB-028****VARIANTS**

PE-027 · 12W

DIMENSIONS

PE-027-12W — 82 x 82 x 40

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

BK · RG · GB · PKW



029

Brezza**PG-COB-029****VARIANTS**

PE-025 · 7W / 12W / 18W

DIMENSIONS

PE-025-7W — 70 x 70 x 55 | PE-025-12W — 88 x 88 x 60 |


PE-025-18W — 98 x 98 x 65

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

BK · RG · GB · SS



030

Moon**PG-COB-030****VARIANTS**

PE-026 · 7W / 12W / 18W

DIMENSIONS

PE-026-7W — 70 x 70 x 55 | PE-026-12W — 88 x 88 x 60 |

PE-026-18W — 98 x 98 x 63

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

BK · PKW



031

**Galaxy****PG-COB-031****VARIANTS**

PE-028A · 12W / 18W

DIMENSIONS

PE-028A-12W — 60 x 60 x 63 | PE-028A-18W — 80x80x73

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

MATT BLACK

032

**Galaxy****PG-COB-032****VARIANTS**

PE-028B · 7W / 12W / 18W

DIMENSIONSPE-028B-7W — 39 x 39 x 52 | PE-028B-12W — 60 x 60 x 63 |
PE-028B-18W — 80 x 80 x 73**COLOUR**

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

GREY

033

**Galaxy****PG-COB-033****VARIANTS**

PE-028C · 7W / 12W

DIMENSIONS

PE-028C-7W — 39 x 39 x 52 | PE-028C-12W — 60 x 60 x 63

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

Matt White / Matt Black

034



Ignite

PG-COB-034

VARIANTS

PE-029A · 3W / 7W / 12W / 18W

DIMENSIONS

PE-029A-3W — 38x38x28 | PE-029A-7W — 70x70x65 |
PE-029A-12W — 85x85x70 | PE-029A-18W — 95x 95 x 100

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

PW · BK

035



Ignite Lens

PG-COB-035

VARIANTS

PE-029B-7W · 7W / 12W / 18W

DIMENSIONS

PE-029B-7W-LENS — 70 x 70 x 65 | PE-029B-12W-LENS — 85
x85x 70 | PE-029B-18W-LENS — 95 x 95 x 100

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

Matt White / Matt Black

036



Wall Washer

PG-COB-036

VARIANTS

PE-030 · 12W / 18W

DIMENSIONS

PE-030-12W — 85x70 | PE-030-18W — 108 x 85

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

MATT WHITE · SILVER



Rainproof Ip54

PG-COB-037

VARIANTS

PE-031 · 12W / 20W / 30W / 50W

DIMENSIONS

PE-031-12W — 85 x 85 x 54 | PE-031-20W — 105 x 105 x 75 |
PE-031-30W — 130 x 130 x 75 | PE-031-50W — 150 x 150 x 80

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

SATIN BLACK

037



Estima Pir Sensor

PG-COB-038

VARIANTS

PE-032-12W · 12W

DIMENSIONS

—

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

MATT WHITE

038



Estima Pir Sensor Linea

PG-COB-039

VARIANTS

PE-033 · 12W

DIMENSIONS

PE-033-12W — 150 x 45 x 50

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

MATT WHITE

039

040



Delta

PG-COB-040

VARIANTS

PE-034 · 30W / 50W

DIMENSIONS

PE-034-30W — 140 x 140 x 100 | PE-034-50W — 140 x 140 x 115


COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

Matt White / Matt Black

041



Creta

PG-COB-041

VARIANTS

PE-036 · 7W / 12W / 18W

DIMENSIONS

PE-036-7W — 70x 70 x 55 | PE-036-12W — 88 x 88 x 60 |
PE-036-18W — 98 x 98 x 65

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

BK · PKW

042



Camery Honey

PG-COB-042

VARIANTS

PE-035 · 7W / 12W / 18W

DIMENSIONS

PE-035-7W — 70 x 70 x 55 | PE-035-12W — 88 x 88 x 60 |
PE-035-18W — 98 x 98 x 65

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

BK · PKW

043

Blaze Movable

PG-COB-043

VARIANTS

PE-037A · 3W / 7W / 12W / 18W

DIMENSIONS

PE-037A-3W — 65 x 65 x 35 | PE-037A-7W — 85 x 85 x 40 |
PE-037A-12W — 85 x 85 x 40 | PE-037A-18W — 108 x 108 x 50

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

Matt White / Matt Black



044

Blaze Movable

PG-COB-044

VARIANTS

PE-0378 · 24W / 30W / 50W

DIMENSIONS

PE-0378-24W — 135 x 135 x 80 | PE-037B-30W — 150 x 150 x 100 | PE-0378-30W — 160 x 160 x 100 | PE-037B-50W — 150 x 150 x 100

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

Matt White / Matt Black



045

Zoom

PG-COB-045

VARIANTS

PE-038 · 12W / 20W / 30W / 50W

DIMENSIONS

PE-038-12W — 90 x 90 x 75 | PE-038-20W — 110 x 110 x 95 |
PE-038-30W — 135x135x 115 | PE-038-50W — 165 x 165 x 145

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

Matt White / Matt Black





Honey Comb

PG-COB-046

VARIANTS

PE-039-7W · 7W / 12W

DIMENSIONS

PE-039-7W-RD — 62 x 93 | PE-039-7W-SQ — 62 x 93 |
PE-039-12W — 84x104

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

MB · PW

046



Pull Out 360°

PG-COB-047

VARIANTS

PE-040 · 7W / 12W

DIMENSIONS

PE-040-12W — 103 x 120

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

MATT BLACK

047



Magna

PG-COB-048

VARIANTS

PE-041 · 10W / 15W

DIMENSIONS

PE-041-10W — 85 x 85 x 65 | PE-041-15W — 75x75x70

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

Matt White / Matt Black

048



Pluto

PG-COB-049

VARIANTS

PE-042 · 15W / 20W

DIMENSIONS

PE-042-15W — 55x55x70 | PE-042-20W — 85x85x72

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

BRASS GOLD

049



Orbit Cylinder Surface

PG-COB-050

VARIANTS

PE-043 · 7W / 12W / 18W

DIMENSIONS

PE-043-7W — 55x55x70 | PE-043-12W — 70x70x 90 |
PE-043-18W — 85 x 85 x 100


COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

PW · BK · RG · GB

050



Streak 360° Cylinder Surface

PG-COB-051

VARIANTS

PE-044 · 7W

DIMENSIONS

PE-044-7W — 35x35x120

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

Matt White / Matt Black

051



Streak 360° Concealed

PG-COB-052

VARIANTS

PE-045-7W · 7W

DIMENSIONS

PE-045-7W-STREAK — 48 x 48 x 85

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

PW

052



Rainproof Cylinder

PG-COB-053

VARIANTS

PE-046 · 12W / 20W / 30W / 50W

DIMENSIONS

PE-046-12W — 75x75x100 | PE-046-20W — 95 x 95 x 100 |
PE-046-30W — 115x115x 152 | PE-046-50W — 140 x 140 x 162

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

Matt White / Matt Black

053



Neo Surface Cylinder

PG-COB-054

VARIANTS

PE-047 · 7W / 12W

DIMENSIONS

PE-047-7W — 58 x 58 x 58 | PE-047-12W — 72x72x70

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

BK · RG · PKW

054

055

Hooper

PG-COB-055

VARIANTS

PE-048A-7W · 7W / 12W / 18W

DIMENSIONS

PE-048A-7W-RD — 63 x 63 x 80 | PE-048A-12W-RD — 78 x 78 x 90 | PE-048A-18W-RD — 88 x 88 x 100

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

PW · BK · RG · GB



Hooper Square

PG-COB-056

VARIANTS

PE-048B-12W · 12W

DIMENSIONS

PE-048B-12W-5Q — 78x78x90

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

PW · BK · RG



056

Twistable Cylinder Ora 90°

PG-COB-057

VARIANTS

PE-049 · 12W

DIMENSIONS

PE-049-12W — 90 x 90 x 162

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

Matt White / Matt Black



057



Grace Cylinder Surface

PG-COB-058

VARIANTS

PE-051 · 15W / 20W / 36W / 50W

DIMENSIONS

PE-051-15W — 65 x 65 x 95 | PE-051-20W — 80 x 80 x 120 |
PE-051-36W — 95 x 95 x 150 | PE-051-50W — 95 x 95 x 150

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

MATT BLACK

058



Creta 360° Cylinder Movable

PG-COB-059

VARIANTS

PE-052 · 7W / 12W / 18W

DIMENSIONS

PE-052-7W — 60 x 60 x 75 | PE-052-12W — 78 x 78 x 95 |
PE-052-18W — 93 x 93 x 105

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

PW · BK · RG · GB

059



Camry Cylinder Surface

PG-COB-060

VARIANTS

PE-050 · 7W / 12W / 18W

DIMENSIONS

PE-050-7W — 55x55x70 | PE-050-12W — 88 x 88 x 60 |
PE-050-18W — 98 x 98 x 65

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

PW · BK · RG · GB

060



Grace Track Reflector

PG-COB-061

VARIANTS

PE-053A · 15W / 24W / 36W / 50W

DIMENSIONS

PE-053A-15W — 110 x 55 x 140 | PE-053A-24W — 130 x 63 x 150 | PE-053A-36W — 145 x 90 x 160 | PE-053A-50W — 145 x 90 x 160

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

Matt White / Matt Black

061



Grace Wall Reflector

PG-COB-062

VARIANTS

PE-053B · 15W / 24W / 36W / 50W

DIMENSIONS

PE-053B-15W — 55x 140 | PE-053B-24W — 130 x 63 x 150 | PE-053B-36W — 90 x 160 | PE-053B-50W — 145 x 90 x 160

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

MATT WHITE · MATT BLACK

062



Compass Track Lens

PG-COB-063

VARIANTS

PE-053C · 12W / 20W / 30W

DIMENSIONS

PE-053C-12W — 50 x 50 x 120 | PE-053C-20W — 65 x 65 x 160 | PE-053C-30W — 75x75x 180

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

Matt White / Matt Black

063

064

Oxy Eco Wall

PG-COB-064

VARIANTS

PE-054 · 12W / 20W / 30W

DIMENSIONS

PE-054-12W — 50 x 50 x 120 | PE-054-20W — 65 x 65 x 160 |
PE-054-30W — 75 x 75 x 180

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

Matt White / Matt Black



065

Track Channel Accessories

PG-COB-065

VARIANTS

PE-TC · PE-TC-180GM

DIMENSIONS

—

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

Matt White / Matt Black



066

Lexus Pro

PG-COB-066

VARIANTS

PE-056 · 7W / 12W / 18W / 24W

DIMENSIONS

—

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

MW · BK · RG · SB



067

**Filtro****PG-COB-067****VARIANTS**

PE-057 · 8W / 20W

DIMENSIONS

PE-057-8W — 70 x 70 x 65 | PE-057-20W — 98 x 98 x 65

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

Matt White / Matt Black

068

**Rimless****PG-COB-068****VARIANTS**

PE-058 · 12W / 18W / 24W

DIMENSIONSPE-058-12W — 125x 125 x 45 | PE-058-18W — 155 x 155 x 45 |
PE-058-24W — 175 x 17**COLOUR**

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

Matt White / Matt Black

069

**Lexus****PG-COB-069****VARIANTS**

PE-059 · 10W / 15W / 20W

DIMENSIONSPE-059-10W — 93 x 93 x 46 | PE-059-15W — 118x 118 x 46 |
PE-059-20W — 158 x 158 x 46**COLOUR**

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

MATT WHITE · MATT BLACK



Nexa

PG-COB-070

VARIANTS

PE-060 · 12W / 18W / 24W

DIMENSIONS

—

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

MATT WHITE · MATT BLACK

070



Lexus Pro Surface

PG-COB-071

VARIANTS

PE-062 · 12W / 18W / 24W

DIMENSIONS

PE-062-12W — 92x75 | PE-062-18W — 122x 75 | PE-062-24W — 142 x75

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

MW · MB · RG · WH

071



Nova Surface

PG-COB-072

VARIANTS

PE-061 · 7W / 12W / 18W / 24W

DIMENSIONS

PE-061-7W — 51 x51x45 | PE-061-12W — 80 x 80 x 46 |
PE-061-18W — 90 x 90 x 46 | PE-061-24W — 128 x 128 x 50

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

MW · MB

072



Nova Plus Surface

PG-COB-073

VARIANTS

PE-064 · 15W / 20W

DIMENSIONS

PE-064-15W — 55x55x70 | PE-064-20W — 85x85x72

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

Matt White / Matt Black

073



Wista Surface Led Down Light

PG-COB-074

VARIANTS

PE-065-16 · 18W / 24W

DIMENSIONS

PE-065-16-18W — 120 x 120 x 75 | PE-065-22-24W — 170 x 170 x 40

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

MW

074



Alice Pc Trimless Surface

PG-COB-075

VARIANTS

PE-066 · 12W

DIMENSIONS

PE-066-12W — 170 x 170 x 33

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

Matt White / Matt Black

075



Curve Striker Surface

PG-COB-076

VARIANTS

PE-068 · 3W

DIMENSIONS

PE-068-3W(RG/SB) — 35x35x7


COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

PW · BK · RG · GB

076



Curve Cabinet Button

PG-COB-077

VARIANTS

PE-067 · 3W

DIMENSIONS

PE-067-3W(PKW/BK) — 20 x 20 x 25 | PE-067-3W(RG/SB) — 20 x 20 x 25

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

BK · RG · SB · PKW

077



Selvet

PG-COB-078

VARIANTS

PE-069 · 6W / 12W / 18W

DIMENSIONS

—

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

BK

078



Slimvest Smd Linea

PG-COB-079

VARIANTS

PE-069A · 6W / 12W / 18W

DIMENSIONS

PE-069A-6W — 20x110x28.5 | PE-069A-12W — 20x210x28.5 |
PE-069A-18W — 20 x 308 x 28.5

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

Matt White / Matt Black

079



Olive Linea

PG-COB-080

VARIANTS

PE-070 · 6W / 8W / 12W / 18W

DIMENSIONS

PE-070-6W — 73 x 33 x 40 | PE-070-8W — 54 x 54 x 40 |
PE-070-12W — 134 x 33 x 40 | PE-070-18W — 73 x 73 x 40

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

BK · RG · GB

080



Tiltable Linea

PG-COB-081

VARIANTS

PE-071 · 12W / 24W

DIMENSIONS

PE-071-12W — 146 x 45 x 42 | PE-071-24W — 252 x 45 x 42

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

BK

081



Wall Washer And Diffuse Linea

082

PG-COB-082

VARIANTS

PE-072 · 12W

DIMENSIONS

—

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

BK · PKW



Diffuse Smd Linear

083

PG-COB-083

VARIANTS

PE-073 · 12W

DIMENSIONS

PE-073-12W — 146 x 45 x 42

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

BK · PKW



Magic

084

PG-COB-084

VARIANTS

PE-074 · 4W / 12W / 16W / 20W / 36W

DIMENSIONS

PE-074-4W — 51 x 50 x 55 | PE-074-12W — 128 x 50 x 55 |
PE-074-16W — 90 x 90 x 55 | PE-074-20W — 205 x 50 x 55 |
PE-074-36W — 128 x 128 x 55

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

Matt White / Matt Black



Mini Magic

PG-COB-085

VARIANTS

PE-075 · 8W / 12W

DIMENSIONS

PE-075-8W — 105 x 45 x 42 | PE-075-12W — 146 x 45 x 42

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

BK · PKW

085



Tetra Linea

PG-COB-086

VARIANTS

PE-076 · 15W

DIMENSIONS

PE-076-15W — 146 x 45 x 42


COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

RG · GB

086



Loop Linea

PG-COB-087

VARIANTS

PE-077-LOOPLINEA-18W · 18W

DIMENSIONS

PE-077-LOOPLINEA-18W-2FT — 600 x 38

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

MW · MB

087

088



Fusion

PG-COB-088

VARIANTS

PE-078 · 8W / 12W / 24W

DIMENSIONS

PE-078-8W — 105 x 45 x 42 | PE-078-12W — 146 x 45 x 42 |
PE-078-24W — 282 x 45 x 32

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

BK · PKW

089



Fusion Pro

PG-COB-089

VARIANTS

PE-079 · 3W / 6W / 8W / 12W / 24W

DIMENSIONS

PE-079-3W — 45 x 45 x 32 | PE-079-6W — 68x45x32 |
PE-079-8W — 95 x 45 x 32 | PE-079-12W — 146 x 45 x 32 |
PE-079-24W — 282 x 45 x 32

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

BK · PKW



03

Gate Lights & Outdoor Lighting

Gate, pillar, bollard, wall and solar garden lighting.

TYPICAL SPECIFICATION

Wattages: 6W · 10W · 12W · 20W · Solar options

Colour temperature: 3000K · 4000K · 6500K

Finishes: Matt black · Graphite · Antique finishes

124 products in this section



Solar Garden Light — Ribbed Dome

001

PG-SGL-001

VARIANTS

6W / 12W · 3-4 hrs charge · 8-10 hrs backup

DIMENSIONS

Pillar top mount · See plate for sizes

COLOUR

Warm White

FINISH

Black



Solar Garden Light — Flared Dome

002

PG-SGL-002

VARIANTS

6W / 12W · 2000/4000 mAh Li cell · Auto ON/OFF

DIMENSIONS

Pillar top mount · See plate for sizes

COLOUR

Warm White

FINISH

Black



Aviator Solar Garden Light

003

PG-SGL-003

VARIANTS

6W / 12W · 3.7V · 8-10 hrs backup · Weather resistant

DIMENSIONS

Pillar top mount · See plate for sizes

COLOUR

Warm White

FINISH

Black



Solar Gate Light

PG-GAT-004

VARIANTS

Solar Gate Light · Die Casting · Solar Gate Light Size: 12" x 8" · Solar Gate Light Die Casting Colour: CW & WW · Die Casting 10W Antique & Black · Size: 12"x 8" Colour: CW & WW · Colour: CW & WW Antique & Bl...

DIMENSIONS

Solar Gate Light Size: 12" x 8" · Die Casting 10W Antique & Black · Size: 12"x 8" Colour: CW & WW · Size : 38.5" x 8"

COLOUR

Cool White / Warm White

FINISH

Black / Antique / Gold

004



Solar Gate Light 2

PG-GAT-005

VARIANTS

Solar Bollard Light · Die Casting

DIMENSIONS

See plate for sizes

COLOUR

Cool White / Warm White

FINISH

Black / Antique / Gold

005



Bulkhead

PG-GAT-006

VARIANTS

Prisma Casting · Alu. Die Casting · Max LED Bulb 14W · Al Die Casting · Max LED Bulb 14w · Deluxe PVC · Mini PVC · Max LED Bulb 14w

DIMENSIONS

Max LED Bulb 14W · Max LED Bulb 14w · Max LED Bulb 14w

COLOUR

Cool White / Warm White

FINISH

Black / Antique / Gold

006



Bulkhead 2

PG-GAT-007

VARIANTS

Al. Die Casting · Temperd Glass Silicon Gas Kit · with Steel Guard · GeLso7 · Hanging Light Small · Aluminium Casting · Gcws06 · Hanging Light Big · BULKHEAD · Gecw s0s · Hanging Light Medium

DIMENSIONS

GeLso7 · Gcws06 · Gecw s0s

COLOUR

Cool White / Warm White

FINISH

Black / Antique / Gold

007



Led Wall Light

PG-GAT-008

VARIANTS

ALUMINIUM DIE CASTING · Ball 4 Way 6w · Warm White & RGB Round 2 Way · Warm White · Warm White & RGB · Round 4 Way Small 2x15w · Warm White & RGB < 440.00

DIMENSIONS

Ball 4 Way 6w · Warm White & RGB Round 2 Way · Round 4 Way Small 2x15w · Warm White & RGB < 440.00

COLOUR

Cool White / Warm White

FINISH

Black / Antique / Gold

008



Gate Light

PG-GAT-009

VARIANTS

: . . Alu. Die Casting · Size 15x9" · Medium · Alu. Die Casting · Sizes : 21.5x11.5" · LED LIGHT · G GL 404 ₹ 3480.00 (LED) · Sizes · GATE LIGHT · ALUMINIUM CASTING

DIMENSIONS

Size 15x9" · Sizes : 21.5x11.5" · G GL 404 ₹ 3480.00 (LED)

COLOUR

Cool White / Warm White

FINISH

Black / Antique / Gold

009



Gate Light

PG-GAT-010

VARIANTS

Iron Body · Aluminium Casting · GATE LIGHT · Frost · Sizes

DIMENSIONS

See plate for sizes

COLOUR

Cool White / Warm White

FINISH

Black / Antique / Gold

010



Gate Light Allinminilina Castin G

PG-GAT-011

VARIANTS

ALUMINIUM CASTING · L o 14x7" Light 1800.00

DIMENSIONS

L o 14x7" Light 1800.00

COLOUR

Cool White / Warm White

FINISH

Black / Antique / Gold

011



Gate Light 2

PG-GAT-012

VARIANTS

Frabulla PVC) Frabulla PVC · Plate · Glass PC · Size 12" · Hanging Light & Plate · Al. Die Casting · Lock C Type · Handi M.V. Fitting Al. Casting · Al. Casting · LED Bulb 23W · Eg)gt;)lg 20W

DIMENSIONS

Size 12" · LED Bulb 23W · Eg)gt;)lg 20W

COLOUR

Cool White / Warm White

FINISH

Black / Antique / Gold

012



Gate Ngpbl

PG-GAT-013

VARIANTS

TOPSY PC · CLEAR & FROST · Qm.00

DIMENSIONS

See plate for sizes

COLOUR

Cool White / Warm White

FINISH

Black / Antique / Gold

013



Gate Light 3

PG-GAT-014

VARIANTS

PC Body Iron Top · Topsy Retro PC

DIMENSIONS

See plate for sizes

COLOUR

Cool White / Warm White

FINISH

Black / Antique / Gold

014



Gate Light 4

PG-GAT-015

VARIANTS

Outdoor gate, pillar and pole lighting range.

DIMENSIONS

See plate for sizes

COLOUR

Cool White / Warm White

FINISH

Black / Antique / Gold

015



Gate Light 5

PG-GAT-016

VARIANTS

Outdoor gate, pillar and pole lighting range.

DIMENSIONS

See plate for sizes

COLOUR

Cool White / Warm White

FINISH

Black / Antique / Gold

016



Gate Light 6

PG-GAT-017

VARIANTS

Aviator · PC B-22 Holder

DIMENSIONS

PC B-22 Holder

COLOUR

Cool White / Warm White

FINISH

Black / Antique / Gold

017



Gate Light 7

PG-GAT-018

VARIANTS

Ignis Bollard · Al. Casting · . ANTIQUE

DIMENSIONS

See plate for sizes

COLOUR

Cool White / Warm White

FINISH

Black / Antique / Gold

018



Gate Light 8

PG-GAT-019

VARIANTS

Tilly · Aluminium Casting · Iron Body · Tree · Al. Casting

DIMENSIONS

See plate for sizes

COLOUR

Cool White / Warm White

FINISH

Black / Antique / Gold

019



Wall Light

PG-GAT-020

VARIANTS

Iron Body

DIMENSIONS

See plate for sizes

COLOUR

Cool White / Warm White

FINISH

Black / Antique / Gold

020



Gate Light 9

PG-GAT-021

VARIANTS

all Gate Light · astin

DIMENSIONS

See plate for sizes

COLOUR

Cool White / Warm White

FINISH

Black / Antique / Gold

021



Gate Light 10

PG-GAT-022

VARIANTS

Aluminium Die Casting · ERREEE · Poll Gate Light · GATE LIGHT · Plain · Antique & Black · Aluminium Die · Casting

DIMENSIONS

See plate for sizes

COLOUR

Cool White / Warm White

FINISH

Black / Antique / Gold

022



Gatelight 2

PG-GAT-023

VARIANTS

Hanging Gate Light · Aluminium Die Casting · Antique & Black · ANTIQUE

DIMENSIONS

See plate for sizes

COLOUR

Cool White / Warm White

FINISH

Black / Antique / Gold

023



Gate Light 11

PG-GAT-024

VARIANTS

GATE LIGHT · POLE · GeL a71 · Gate Light · Al. Die Casting

DIMENSIONS

GeL a71

COLOUR

Cool White / Warm White

FINISH

Black / Antique / Gold

024



Gate Light 12

PG-GAT-025

VARIANTS

Poll Gate Light · Al. Die Casting · Hanging Gate Light · Aluminium Die Casting · ANTIQUE

DIMENSIONS

See plate for sizes

COLOUR

Cool White / Warm White

FINISH

Black / Antique / Gold

025



Gate Light 13

PG-GAT-026

VARIANTS

Gate Light (WALL LIGHT) · Gate Light (WALL LIGHT) · Gate Light (WALL LIGHT) · Al. Die Casting Gate Light (WALL LIGHT)

DIMENSIONS

See plate for sizes

COLOUR

Cool White / Warm White

FINISH

Black / Antique / Gold

026



Gate Light 14

PG-GAT-027

VARIANTS

Outdoor gate, pillar and pole lighting range.

DIMENSIONS

See plate for sizes

COLOUR

Cool White / Warm White

FINISH

Black / Antique / Gold

027



Gate Light 15

PG-GAT-028

VARIANTS

VaVaVa · GATE LIGHT · Hanging Temple · Iron Body · Temple · efFn, · T @mo@o · Vessy

DIMENSIONS

See plate for sizes

COLOUR

Cool White / Warm White

FINISH

Black / Antique / Gold

028



Gate Light 16

PG-GAT-029

VARIANTS

Boundary Pillar Hut Boundary Pillar · Iron · Boundary Pillar Hut · Iron · Iron 13"x5.25"

DIMENSIONS

Iron 13"x5.25"

COLOUR

Cool White / Warm White

FINISH

Black / Antique / Gold

029



Gate Light 17

PG-GAT-030

VARIANTS

IRON BODY

DIMENSIONS

See plate for sizes

COLOUR

Cool White / Warm White

FINISH

Black / Antique / Gold

030



Gate Light 17

PG-GAT-031

VARIANTS

POLE · Alu. Die Casting · Size 15x9" · Medium · Sizes : 21.5x11.5"

DIMENSIONS

Size 15x9" · Sizes : 21.5x11.5"

COLOUR

Cool White / Warm White

FINISH

Black / Antique / Gold

031



Gate Light 18

PG-GAT-032

VARIANTS

Outdoor gate, pillar and pole lighting range.

DIMENSIONS

See plate for sizes

COLOUR

Cool White / Warm White

FINISH

Black / Antique / Gold

032



Gate Light 19

PG-GAT-033

VARIANTS

Hut Iron · Size : 30.5 x 6.5 · Harricane Small · Frost & Clear · Iron Body · GATE LIGHT · Flower New Small · Size:14.5x 8 · . EEEE-----,

DIMENSIONS

Size : 30.5 x 6.5 · Size:14.5x 8

COLOUR

Cool White / Warm White

FINISH

Black / Antique / Gold

033



Gate Light 20

PG-GAT-034

VARIANTS

POLE · " ALUMINIUM DIE CASTING · Aluminium Die Casting · PRIME · Aluminium Die Casting % 960.00

DIMENSIONS

Aluminium Die Casting % 960.00

COLOUR

Cool White / Warm White

FINISH

Black / Antique / Gold

034



Gate Light 21

PG-GAT-035

VARIANTS

Aluminium Die Casting · AVAILABLE IN BIG SIZE ALSO · GeLe18 · Topsy Jupiter Big · Al. Die Casting · GATE LIGHT · POLE · ALUMINIUM DIE CASTING · Prime · Xylo · Topsy Jupiter Small

DIMENSIONS

GeLe18

COLOUR

Cool White / Warm White

FINISH

Black / Antique / Gold

035



I Ed Gate Light

PG-GAT-036

VARIANTS

Al. Die Casting · AVAILABLE IN BIG · SIZE ALSO · cwaww · LED GATE LIGHT · Prime · ARIO · POLE · Xylo

DIMENSIONS

See plate for sizes

COLOUR

Cool White / Warm White

FINISH

Black / Antique / Gold

036



Led Gate Light

PG-GAT-037

VARIANTS

Cool White or Warm White · Cool White or Warm White 3 in 1 Gate Light

DIMENSIONS

Cool White or Warm White 3 in 1 Gate Light

COLOUR

Cool White / Warm White

FINISH

Black / Antique / Gold

037



Led Gate Light 2

PG-GAT-038

VARIANTS

WARM WHITE i* RED · Cool White or Warm White

DIMENSIONS

See plate for sizes

COLOUR

Cool White / Warm White

FINISH

Black / Antique / Gold

038



Bulkhead 3

PG-GAT-039

VARIANTS

C.F.L.26W · LED Bulb 23W · Iron · Al Die Casting · LED Bulb 12W % 480.00 · Ring C.F.L. 26W · LED Bulb 12W · Unbreakable · C.F.L. Capsule · Deluxe · poatt Max 18W CFL

DIMENSIONS

C.F.L.26W · LED Bulb 23W · LED Bulb 12W % 480.00 · Ring C.F.L. 26W

COLOUR

Cool White / Warm White

FINISH

Black / Antique / Gold

039



Aviation Light

PG-GAT-040

VARIANTS

Double · Al Casting · Single · Al. Die Casting PVC Single

DIMENSIONS

See plate for sizes

COLOUR

Cool White / Warm White

FINISH

Black / Antique / Gold

040



Accessories

PG-GAT-041

VARIANTS

Iron · Gate Light Stand PVC · ACCESSORIES · Street Light Pipe · Gate Light Stand 2" · Gate Light Stand · Flexible Street Light Stand | Iron Gate Light Pipe · Aluminium Die Casting 24" · Small 37mm ¥ 530.00

DIMENSIONS

Gate Light Stand 2" · Aluminium Die Casting 24" · Small 37mm ¥ 530.00 . % 480.00 · Iron 1.5"

COLOUR

Cool White / Warm White

FINISH

Black / Antique / Gold

041



Light Accessories Gate Light

PG-GAT-042

VARIANTS

GATE LIGHT ACCESSORIES · HAMMER TYPE BAND · ALUMINIUM CASTING · J BAND · NAKSHIN BAND HANGING CHAIN · ALUMINIUM CASTING IRON

DIMENSIONS

See plate for sizes

COLOUR

Cool White / Warm White

FINISH

Black / Antique / Gold

042



Solar Garden Light — Ribbed Dome

PG-GAT-001

VARIANTS

6W / 12W · 2000/4000 mAh Li cell · DC 3.7V · 3-4 hrs charging · 8-10 hrs backup · Auto ON/OFF sensor

DIMENSIONS

Pillar-top gate light; ribbed clear polycarbonate diffuser with integrated solar panel


COLOUR

Warm White

FINISH

Black body / clear ribbed diffuser

043



Solar Garden Light — Flare Diffuser

PG-GAT-002

VARIANTS

6W / 12W · 2000/4000 mAh Li cell · DC 3.7V · 3-4 hrs charging · 8-10 hrs backup · Auto ON/OFF sensor

DIMENSIONS

Pillar-top gate light; flared opal diffuser with high-efficiency solar panel on top

COLOUR

Warm White

FINISH

Black body / opal white diffuser

044



Aviator Solar Garden Light

PG-GAT-003

VARIANTS

6W / 12W · 2000/4000 mAh Li cell · DC 3.7V · 3-4 hrs charging · 8-10 hrs backup · Auto ON/OFF sensor

DIMENSIONS

Premium cast pillar-top lantern with opal globe and solar panel; weather resistant

COLOUR

Warm White

FINISH

Glossy Black

045



Infiniti Jr.

PG-OUT-048

VARIANTS

15W LED · Warm White / Cool White

DIMENSIONS

5.3 x 5.3 x 7.3 in (L x W x H)

COLOUR

Warm White 3000K / Cool White 6500K

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Pole (ID 2.25")

046



Infiniti Nexus Jr.

PG-OUT-049

VARIANTS

15W LED · Warm White / Cool White

DIMENSIONS

5.3 x 5.3 x 7.5 in (L x W x H)

COLOUR

Warm White 3000K / Cool White 6500K

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Surface & Pole (ID 2.25")

047



Infiniti

PG-OUT-050

VARIANTS

20W LED · Warm White / Cool White

DIMENSIONS

7.1 x 7.1 x 9.1 in (L x W x H)

COLOUR

Warm White 3000K / Cool White 6500K

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Pole (ID 3")

048



Infiniti Nexus

PG-OUT-051

VARIANTS

20W LED · Warm White / Cool White

DIMENSIONS

7.1 x 7.1 x 8.4 in (L x W x H)

COLOUR

Warm White 3000K / Cool White 6500K

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Surface & Pole (ID 3")

049



Dyna Pyramid

PG-OUT-052

VARIANTS

20W LED · Warm White / Cool White

DIMENSIONS

8.3 x 8.3 x 10.6 in (L x W x H)

COLOUR

Warm White 3000K / Cool White 6500K

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Surface

050



Infiniti Pyramid Jr.

PG-OUT-053

VARIANTS

15W LED · Warm White / Cool White

DIMENSIONS

5.3 x 5.3 x 8.3 in (L x W x H)

COLOUR

Warm White 3000K / Cool White 6500K

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Surface

051

052

Infiniti Wall Jr.

PG-OUT-054

VARIANTS

15W LED · Warm White / Cool White

DIMENSIONS

8 x 5.3 x 9.7 in (L x W x H)

COLOUR

Warm White 3000K / Cool White 6500K

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Wall

053

Infiniti Pyramid

PG-OUT-055

VARIANTS

20W LED · Warm White / Cool White

DIMENSIONS

7.1 x 7.1 x 10.4 in (L x W x H)

COLOUR

Warm White 3000K / Cool White 6500K

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Surface

054

Dyna

PG-OUT-056

VARIANTS

20W LED · Warm White / Cool White

DIMENSIONS

8.3 x 8.3 x 8.8 in (L x W x H)

COLOUR

Warm White 3000K / Cool White 6500K

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Pole (ID 3")

055



Dyna Nexus

PG-OUT-057

VARIANTS

20W LED · Warm White / Cool White

DIMENSIONS

8.3 x 8.3 x 8.1 in (L x W x H)

COLOUR

Warm White 3000K / Cool White 6500K

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Surface & Pole (ID 2.25")

056



Monalisa Jr.

PG-OUT-058

VARIANTS

15W LED · Warm White / Cool White

DIMENSIONS

5.9 x 5.9 x 8.3 in (L x W x H)

COLOUR

Warm White 3000K / Cool White 6500K

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Pole (ID 2.25")

057



Monalisa Nexus Jr.

PG-OUT-059

VARIANTS

15W LED · Warm White / Cool White

DIMENSIONS

5.9 x 5.9 x 8.5 in (L x W x H)

COLOUR

Warm White 3000K / Cool White 6500K

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Surface & Pole (ID 2.25")

058



Monalisa

PG-OUT-060

VARIANTS

20W LED · Warm White / Cool White

DIMENSIONS

9.4 x 9.4 x 12.6 in (L x W x H)

COLOUR

Warm White 3000K / Cool White 6500K

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Pole (ID 3")

059



Dome

PG-OUT-061

VARIANTS

15W LED · Warm White / Cool White

DIMENSIONS

5.9 x 5.9 x 11.8 in (L x W x H)

COLOUR

Warm White 3000K / Cool White 6500K

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Pole (ID 2.25")

060



Dome Nexus

PG-OUT-062

VARIANTS

15W LED · Warm White / Cool White

DIMENSIONS

5.9 x 5.9 x 12 in (L x W x H)

COLOUR

Warm White 3000K / Cool White 6500K

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Surface & Pole (ID 2.25")

061

Monalisa Pyramid Jr.

PG-OUT-063

VARIANTS

15W LED · Warm White / Cool White

DIMENSIONS

5.9 x 5.9 x 9.3 in (L x W x H)

COLOUR

Warm White 3000K / Cool White 6500K

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Surface



062

Monalisa Wall Jr.

PG-OUT-064

VARIANTS

15W LED · Warm White / Cool White

DIMENSIONS

8.3 x 5.9 x 10.7 in (L x W x H)

COLOUR

Warm White 3000K / Cool White 6500K

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Wall



063

Monalisa Nexus

PG-OUT-065

VARIANTS

20W LED · Warm White / Cool White

DIMENSIONS

9.4 x 9.4 x 11.9 in (L x W x H)

COLOUR

Warm White 3000K / Cool White 6500K

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Surface & Pole (ID 2.25")



064



Dome Pyramid

PG-OUT-066

VARIANTS

15W LED · Warm White / Cool White

DIMENSIONS

5.9 x 5.9 x 12.8 in (L x W x H)

COLOUR

Warm White 3000K / Cool White 6500K

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Surface

065



Dome Wall

PG-OUT-067

VARIANTS

15W LED · Warm White / Cool White

DIMENSIONS

8.3 x 5.9 x 14.2 in (L x W x H)

COLOUR

Warm White 3000K / Cool White 6500K

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Wall

066



Dome (Large)

PG-OUT-068

VARIANTS

20W LED · Warm White / Cool White

DIMENSIONS

7.9 x 7.9 x 15 in (L x W x H)

COLOUR

Warm White 3000K / Cool White 6500K

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Pole (ID 2.25")

067



Minar

PG-OUT-069

VARIANTS

15W LED · Warm White / Cool White

DIMENSIONS

4.1 x 4.1 x 10.4 in (L x W x H)

COLOUR

Warm White 3000K / Cool White 6500K

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Pole (ID 2.25")

068



Minar Nexus

PG-OUT-070

VARIANTS

15W LED · Warm White / Cool White

DIMENSIONS

4.3 x 4.3 x 10.5 in (L x W x H)

COLOUR

Warm White 3000K / Cool White 6500K

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Surface & Pole (ID 2.25")

069



Lantern Nexus

PG-OUT-071

VARIANTS

15W LED · Warm White / Cool White

DIMENSIONS

6.3 x 6.3 x 12.5 in (L x W x H)

COLOUR

Warm White 3000K / Cool White 6500K

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Surface & Pole (ID 2.25")



Samadhan

PG-OUT-072

VARIANTS

15W LED · Warm White / Cool White

DIMENSIONS

7.5 x 7.5 x 12.6 in (L x W x H)

COLOUR

Warm White 3000K / Cool White 6500K

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Pole (ID 2")

070



Dome Nexus (Large)

PG-OUT-073

VARIANTS

15W LED · Warm White / Cool White

DIMENSIONS

7.9 x 7.9 x 14 in (L x W x H)

COLOUR

Warm White 3000K / Cool White 6500K

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Surface & Pole (ID 2.25")

071



Minar Pyramid

PG-OUT-074

VARIANTS

15W LED · Warm White / Cool White

DIMENSIONS

4.4 x 4.4 x 11.3 in (L x W x H)

COLOUR

Warm White 3000K / Cool White 6500K

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Surface

072



Minar Wall

PG-OUT-075

VARIANTS

15W LED · Warm White / Cool White

DIMENSIONS

7.4 x 4.1 x 12.7 in (L x W x H)

COLOUR

Warm White 3000K / Cool White 6500K

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Wall

073



Lantern Wall

PG-OUT-076

VARIANTS

15W LED · Warm White / Cool White

DIMENSIONS

8.5 x 6.3 x 14.9 in (L x W x H)

COLOUR

Warm White 3000K / Cool White 6500K

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Wall

074



Samadhan Pyramid

PG-OUT-077

VARIANTS

15W LED · Warm White / Cool White

DIMENSIONS

7.5 x 7.5 x 13.5 in (L x W x H)

COLOUR

Warm White 3000K / Cool White 6500K

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Surface

075



Samadhan Nexus

PG-OUT-078

VARIANTS

15W LED · Warm White / Cool White

DIMENSIONS

7.5 x 7.5 x 13.5 in (L x W x H)

COLOUR

Warm White 3000K / Cool White 6500K

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Surface & Pole (ID 2.25")

076



Glass House

PG-OUT-079

VARIANTS

15W LED · Warm White / Cool White

DIMENSIONS

4.5 x 4.5 x 8.7 in (L x W x H)

COLOUR

Warm White 3000K / Cool White 6500K

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Surface

077



Matrix Mount

PG-OUT-080

VARIANTS

6W LED · Warm White / Cool White

DIMENSIONS

3.3 x 2.7 x 3.1 in (L x W x H)

COLOUR

Warm White 3000K / Cool White 6500K

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Screw Mount

078



Ice Cube

PG-OUT-081

VARIANTS

20W LED · Warm White / Cool White

DIMENSIONS

6.2 x 6.2 x 6.9 in (L x W x H)

COLOUR

Warm White 3000K / Cool White 6500K

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Surface

079



Pyro

PG-OUT-082

VARIANTS

20W LED · Warm White / Cool White

DIMENSIONS

6.2 x 6.2 x 6.9 in (L x W x H)

COLOUR

Warm White 3000K / Cool White 6500K

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Surface

080



Samadhan Wall

PG-OUT-083

VARIANTS

15W LED · Warm White / Cool White

DIMENSIONS

9.1 x 7.5 x 15 in (L x W x H)

COLOUR

Warm White 3000K / Cool White 6500K

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Wall

081

082

Matrix Spike

PG-OUT-084

VARIANTS

6W LED · Warm White / Cool White

DIMENSIONS

3.3 x 2.7 x 9.1 in (L x W x H)

COLOUR

Warm White 3000K / Cool White 6500K

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Ground spike

083

Ice Cube Pipe

PG-OUT-085

VARIANTS

20W LED · Warm White / Cool White

DIMENSIONS

6.2 x 6.2 x 11 in (L x W x H)

COLOUR

Warm White 3000K / Cool White 6500K

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Pole (ID 2.5")

084

Pyro Pipe

PG-OUT-086

VARIANTS

20W LED · Warm White / Cool White

DIMENSIONS

6.2 x 6.2 x 11 in (L x W x H)

COLOUR

Warm White 3000K / Cool White 6500K

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Pole (ID 2.25")

085



Hourglass Pipe

PG-OUT-087

VARIANTS

20W LED · Warm White / Cool White

DIMENSIONS

6.2 x 6.2 x 13 in (L x W x H)

COLOUR

Warm White 3000K / Cool White 6500K

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Pole (ID 2.25")

086



Hourglass

PG-OUT-088

VARIANTS

20W LED · Warm White / Cool White

DIMENSIONS

6.2 x 6.2 x 8.9 in (L x W x H)

COLOUR

Warm White 3000K / Cool White 6500K

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Surface

087



Finny

PG-OUT-089

VARIANTS

20W LED · Warm White / Cool White

DIMENSIONS

6.2 x 6.2 x 8.9 in (L x W x H)

COLOUR

Warm White 3000K / Cool White 6500K

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Surface & Pole (ID 2.25")

088



Cylo Plus

PG-OUT-090

VARIANTS

20W LED · Warm White / Cool White

DIMENSIONS

6.9 x 6.9 x 6.5 in (L x W x H)

COLOUR

Warm White 3000K / Cool White 6500K

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Surface

089



Cottage Grill

PG-OUT-091

VARIANTS

20W LED · Warm White / Cool White

DIMENSIONS

7.7 x 7.7 x 17.9 in (L x W x H)

COLOUR

Warm White 3000K / Cool White 6500K

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Pole (ID 2.25")

090



Softy

PG-OUT-092

VARIANTS

20W LED · Warm White / Cool White

DIMENSIONS

8.7 x 8.7 x 12.5 in (L x W x H)

COLOUR

Warm White 3000K / Cool White 6500K

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Pole (ID 2.25")



Finny Pipe

PG-OUT-093

VARIANTS

20W LED · Warm White / Cool White

DIMENSIONS

6.2 x 6.2 x 13 in (L x W x H)

COLOUR

Warm White 3000K / Cool White 6500K

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Pole (ID 2.25")

091



Cylo

PG-OUT-094

VARIANTS

20W LED · Warm White / Cool White

DIMENSIONS

6.9 x 6.9 x 6.5 in (L x W x H)

COLOUR

Warm White 3000K / Cool White 6500K

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Surface

092



Cottage

PG-OUT-095

VARIANTS

20W LED · Warm White / Cool White

DIMENSIONS

7.7 x 7.7 x 17.9 in (L x W x H)

COLOUR

Warm White 3000K / Cool White 6500K

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Pole (ID 2.25")

093



Cottage Plus

PG-OUT-096

VARIANTS

20W LED · Warm White / Cool White

DIMENSIONS

7.7 x 7.7 x 17.9 in (L x W x H)

COLOUR

Warm White 3000K / Cool White 6500K

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Pole (ID 2.25")

094



Softy Nexus

PG-OUT-097

VARIANTS

20W LED · Warm White / Cool White

DIMENSIONS

8.7 x 8.7 x 10 in (L x W x H)

COLOUR

Warm White 3000K / Cool White 6500K

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Surface & Pole (ID 2.25")

095



Softy Plus

PG-OUT-098

VARIANTS

20W LED · Warm White / Cool White

DIMENSIONS

8.7 x 8.7 x 12.5 in (L x W x H)

COLOUR

Warm White 3000K / Cool White 6500K

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Pole (ID 2.25")

096

097

Softy Nexus Plus

PG-OUT-099

VARIANTS

20W LED · Warm White / Cool White

DIMENSIONS

8.7 x 8.7 x 10 in (L x W x H)

COLOUR

Warm White 3000K / Cool White 6500K

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Surface Pole (ID 2.25")



098

Globe With Base

PG-OUT-100

VARIANTS

B-22 holder · B-22 lamp holder (lamp not included)

DIMENSIONS

7.9 x 7.9 x 11 in (L x W x H)

COLOUR

Suits any B-22 LED lamp — Warm White / Cool White

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Pole / base



099

Mesh Globe

PG-OUT-101

VARIANTS

B-22 holder · B-22 lamp holder (lamp not included)

DIMENSIONS

8.9 x 8.9 x 13.8 in (L x W x H)

COLOUR

Suits any B-22 LED lamp — Warm White / Cool White

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Pole / base





8 Inch Gola

PG-OUT-102

VARIANTS

B-22 holder · B-22 lamp holder (lamp not included)

DIMENSIONS

8 x 8 x 10.8 in (L x W x H)

COLOUR

Suits any B-22 LED lamp — Warm White / Cool White

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Pole / base

100



12 Inch Gola

PG-OUT-103

VARIANTS

B-22 holder · B-22 lamp holder (lamp not included)

DIMENSIONS

12 x 12 x 15.1 in (L x W x H)

COLOUR

Suits any B-22 LED lamp — Warm White / Cool White

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Pole / base

101



Samadhan (Bulb)

PG-OUT-104

VARIANTS

B-22 holder · B-22 lamp holder (lamp not included)

DIMENSIONS

7.5 x 7.5 x 12.6 in (L x W x H)

COLOUR

Suits any B-22 LED lamp — Warm White / Cool White

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Pole / base

102



Globe With Base — Pedestal

PG-OUT-105

VARIANTS

B-22 holder · B-22 lamp holder (lamp not included)

DIMENSIONS

7.9 x 7.9 x 11 in (L x W x H)

COLOUR

Suits any B-22 LED lamp — Warm White / Cool White

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Pedestal base

103



6 Inch Gola

PG-OUT-106

VARIANTS

B-22 holder · B-22 lamp holder (lamp not included)

DIMENSIONS

6 x 6 x 8.8 in (L x W x H)

COLOUR

Suits any B-22 LED lamp — Warm White / Cool White

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Pole / base

104



10 Inch Gola

PG-OUT-107

VARIANTS

B-22 holder · B-22 lamp holder (lamp not included)

DIMENSIONS

10 x 10 x 13.1 in (L x W x H)

COLOUR

Suits any B-22 LED lamp — Warm White / Cool White

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Pole / base

105



Gola Designer

PG-OUT-108

VARIANTS

B-22 holder · B-22 lamp holder (lamp not included)

DIMENSIONS

7.9 x 7.9 x 10.4 in (L x W x H)

COLOUR

Suits any B-22 LED lamp — Warm White / Cool White

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Pole / base

106



Samadhan Pyramid (Bulb)

PG-OUT-109

VARIANTS

B-22 holder · B-22 lamp holder (lamp not included)

DIMENSIONS

7.5 x 7.5 x 13.5 in (L x W x H)

COLOUR

Suits any B-22 LED lamp — Warm White / Cool White

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Surface

107



Samadhan Wall (Bulb)

PG-OUT-110

VARIANTS

B-22 holder · B-22 lamp holder (lamp not included)

DIMENSIONS

9.1 x 7.5 x 15 in (L x W x H)

COLOUR

Suits any B-22 LED lamp — Warm White / Cool White

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Wall

108



Glass House Nexus

PG-OUT-111

VARIANTS

B-22 holder · B-22 lamp holder (lamp not included)

DIMENSIONS

3.9 x 3.9 x 11 in (L x W x H)

COLOUR

Suits any B-22 LED lamp — Warm White / Cool White

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Surface & Pole

109



Designer Mushroom

PG-OUT-112

VARIANTS

B-22 holder · B-22 lamp holder (lamp not included)

DIMENSIONS

7 x 7 x 11 in (L x W x H)

COLOUR

Suits any B-22 LED lamp — Warm White / Cool White

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Pole / base

110



Milky Mushroom Drop

PG-OUT-113

VARIANTS

B-22 holder · B-22 lamp holder (lamp not included)

DIMENSIONS

6.1 x 6.1 x 9.3 in (L x W x H)

COLOUR

Suits any B-22 LED lamp — Warm White / Cool White

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Pole / base

111



Square Milky Aluminium Bollard

PG-OUT-114

VARIANTS

B-22 holder · B-22 lamp holder (lamp not included)

DIMENSIONS

3.5 x 3.5 x 11.8 in (L x W x H)

COLOUR

Suits any B-22 LED lamp — Warm White / Cool White

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Surface / ground

112



Glass House Pyramid

PG-OUT-115

VARIANTS

B-22 holder · B-22 lamp holder (lamp not included)

DIMENSIONS

4.5 x 4.5 x 8.7 in (L x W x H)

COLOUR

Suits any B-22 LED lamp — Warm White / Cool White

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Surface

113



Milky Mushroom

PG-OUT-116

VARIANTS

B-22 holder · B-22 lamp holder (lamp not included)

DIMENSIONS

7 x 7 x 11 in (L x W x H)

COLOUR

Suits any B-22 LED lamp — Warm White / Cool White

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Pole / base

114



Mosaic Mushroom

PG-OUT-117

VARIANTS

B-22 holder · B-22 lamp holder (lamp not included)

DIMENSIONS

8 x 8 x 12.1 in (L x W x H)

COLOUR

Suits any B-22 LED lamp — Warm White / Cool White

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Pole / base

115



Round Milky Aluminium Bollard

PG-OUT-118

VARIANTS

B-22 holder · B-22 lamp holder (lamp not included)

DIMENSIONS

3.5 x 3.5 x 11.8 in (L x W x H)

COLOUR

Suits any B-22 LED lamp — Warm White / Cool White

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Surface / ground

116



Nexa Dotted

PG-OUT-119

VARIANTS

B-22 holder · B-22 lamp holder (lamp not included)

DIMENSIONS

7.7 x 7.7 x 9.8 in (L x W x H)

COLOUR

Suits any B-22 LED lamp — Warm White / Cool White

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Pole / base

117



Nexa Dotted Mushroom Top

PG-OUT-120

VARIANTS

B-22 holder · B-22 lamp holder (lamp not included)

DIMENSIONS

7.7 x 7.5 x 12.1 in (L x W x H)

COLOUR

Suits any B-22 LED lamp — Warm White / Cool White

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Pole / base

118



Nexa Lining Mushroom Top

PG-OUT-121

VARIANTS

B-22 holder · B-22 lamp holder (lamp not included)

DIMENSIONS

7.7 x 7.7 x 12.4 in (L x W x H)

COLOUR

Suits any B-22 LED lamp — Warm White / Cool White

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Pole / base

119



Gazebo

PG-OUT-122

VARIANTS

B-22 holder · B-22 lamp holder (lamp not included)

DIMENSIONS

8.3 x 8.3 x 10.4 in (L x W x H)

COLOUR

Suits any B-22 LED lamp — Warm White / Cool White

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Pole / base

120



Softy Nexus (Bulb)

PG-OUT-123

VARIANTS

B-22 holder · B-22 lamp holder (lamp not included)

DIMENSIONS

8.7 x 8.7 x 10 in (L x W x H)

COLOUR

Suits any B-22 LED lamp — Warm White / Cool White

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Surface & Pole

121



Nexa Lining Flat Top

PG-OUT-124

VARIANTS

B-22 holder · B-22 lamp holder (lamp not included)

DIMENSIONS

7.7 x 7.7 x 10.1 in (L x W x H)

COLOUR

Suits any B-22 LED lamp — Warm White / Cool White

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Pole / base

122



Prismora

PG-OUT-125

VARIANTS

B-22 holder · B-22 lamp holder (lamp not included)

DIMENSIONS

8.2 x 8.2 x 10.1 in (L x W x H)

COLOUR

Suits any B-22 LED lamp — Warm White / Cool White

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Pole / base

123



Softy (Bulb)

PG-OUT-126

VARIANTS

B-22 holder · B-22 lamp holder (lamp not included)

DIMENSIONS

8.7 x 8.7 x 12.5 in (L x W x H)

COLOUR

Suits any B-22 LED lamp — Warm White / Cool White

FINISH

Die-cast / polycarbonate body, matte black finish · IP65 · Pole / base

124



04

Track Lights

Track spotlights and rail fittings.

TYPICAL SPECIFICATION

Wattages: 10W · 20W · 30W · 40W

Colour temperature: 3000K · 4000K · 6500K

Finishes: Black · White

5 products in this section



Track Light — Slim Cylinder

PG-TRK-001

VARIANTS

10W · 24° beam

DIMENSIONS

Ø50×125 mm; three-wire track adaptor

COLOUR

Cool White / Natural White / Warm White

FINISH

Black / White

001



Track Light — Medium Cylinder

PG-TRK-002

VARIANTS

20W · 24° beam

DIMENSIONS

Ø65×150 mm; three-wire track adaptor

COLOUR

Cool White / Natural White / Warm White

FINISH

Black / White

002



Track Light — Large Cylinder

PG-TRK-003

VARIANTS

30W · 24° beam

DIMENSIONS

Ø75×180 mm; three-wire track adaptor

COLOUR

Cool White / Natural White / Warm White

FINISH

Black / White

003

004

Anti-glare Deep Track Spotlight

PG-TRK-004

VARIANTS

12W / 20W

DIMENSIONS

Deep optical chamber; three-wire adaptor

COLOUR

Cool White / Natural White / Warm White

FINISH

Black / White with reflector options



005

Zoom Track Spotlight

PG-TRK-005

VARIANTS

20W / 30W · adjustable 15°-60°

DIMENSIONS

Adjustable-focus body on standard rail

COLOUR

Cool White / Natural White / Warm White

FINISH

Black / White





05

Waterproof Outdoor Highlighters

Waterproof IP65/IP68 facade highlighters, beam lights, wall washers, pillar, garden, up-down and outdoor track fittings.

60 products in this section



Outdoor COB Highlighter AXOD10i

001

PG-WPO-001

VARIANTS

12W

DIMENSIONS

Dia 95mm × H 130mm

COLOUR

All CCT colours

FINISH

Aluminium body · IP65 · built-in driver · beam 24°



Project Lamp BB-3134

002

PG-WPO-002

VARIANTS

24 × 3W = 72W

DIMENSIONS

245 × 245 × H 360mm

COLOUR

White, warm, yellow, red, green, blue, RGB, RGBW

FINISH

Aluminium + tempered glass · IP65 · beam 5°/25°/45°/60° · CRI ≥80



Garden Spike Light

003

PG-WPO-003

VARIANTS

3W, 5W, 12W

DIMENSIONS

Spike mounted

COLOUR

3K / 4K / 6K

FINISH

Aluminium · IP65



Outdoor Narrow Beam Light AXOD3

004

PG-WPO-004

VARIANTS

27W

DIMENSIONS

Dia 150mm

COLOUR

3K, 4K, 6K, R, G, B

FINISH

CREE LED · IP65 · beam 3°



Square Outdoor Light AXOD27SQ

005

PG-WPO-005

VARIANTS

27W

DIMENSIONS

Square body

COLOUR

3K, 4K, 6K

FINISH

Aluminium · IP65 · beam 5°/20°/45°



Outdoor Light AXOD2412

006

PG-WPO-006

VARIANTS

24W

DIMENSIONS

D 180 × Depth 95 × H 220mm

COLOUR

3K, 4K, 6K, RGB

FINISH

Aluminium · IP65 · beam 5°-90°



Project Lamp BB-3132

PG-WPO-007

VARIANTS

16 × 3W = 48W

DIMENSIONS

200 × 200 × H 260mm

COLOUR

White, warm, yellow, red, green, blue, RGB, RGBW

FINISH

Aluminium + tempered glass · IP65 · CRI ≥80

007



Outdoor Light AXOD-3243

PG-WPO-008

VARIANTS

30W

DIMENSIONS

D 150 × L 160 × H 230mm

COLOUR

3K, 4K, 6K

FINISH

Aluminium · IP65

008



Apollo Narrow Beam Flood Light

PG-WPO-009

VARIANTS

10W

DIMENSIONS

85 × 85 × 120mm

COLOUR

2700-6500K, R/G/B

FINISH

Die-cast aluminium, tempered glass · IP66 · beam 1° · 180° adjustable

009



Outdoor Light AXOD71

PG-WPO-010

VARIANTS

7W

DIMENSIONS

Compact round body

COLOUR

All colours

FINISH

Aluminium · IP65 · beam 30°

010



Garden Light with Lens

PG-WPO-011

VARIANTS

3W, 5W, 12W

DIMENSIONS

Spike mounted

COLOUR

3K / 4K / 6K

FINISH

Aluminium · IP65 · lens optic

011



Outdoor Deco Highlighter AX-Deco

PG-WPO-012

VARIANTS

10W, 20W, 30W

DIMENSIONS

Three body sizes

COLOUR

3K, 4K, 6K, R, G, B

FINISH

COB LED · Aluminium · IP65 · beam 30°

012



Outdoor Spot OD30CH

PG-WPO-013

VARIANTS

30W

DIMENSIONS

Adjustable head

COLOUR

2.7K, 3K, 4K, 6K

FINISH

Aluminium · IP65 · beam 36°

013



Outdoor Spot ODR5CH

PG-WPO-014

VARIANTS

5W

DIMENSIONS

Compact head

COLOUR

3K

FINISH

Aluminium · IP65 · beam 24°

014



Outdoor Spot OD10CH

PG-WPO-015

VARIANTS

10W

DIMENSIONS

Adjustable head

COLOUR

2.2K, 2.7K, 3K, 4K, 6K

FINISH

Aluminium · IP65 · beam 36°

015



Garden Light GL12C

PG-WPO-016

VARIANTS

12W

DIMENSIONS

Dia 105mm × H 135mm

COLOUR

2.7K-6K, R, G, B

FINISH

Die-cast aluminium + glass · CREE · IP65 · beam 36°

016



Outdoor Spike Light 3W

PG-WPO-017

VARIANTS

3W

DIMENSIONS

Spike mounted

COLOUR

3K / 4K / 6K

FINISH

Aluminium · IP65

017



Outdoor Multi-Lens Highlighter

PG-WPO-018

VARIANTS

12 × 1.5W (18W) · lens 10° / 15° / 30°

DIMENSIONS

Round multi-lens head with adjustable yoke bracket

COLOUR

All CCT colours — 3K / 4K / 6K, R, G, B

FINISH

Aluminium body · CREE LED · IP65 · 230VAC

018



Outdoor Highlighter Series 12W

PG-WPO-019

VARIANTS

12W

DIMENSIONS

Ø130 × 90D × 160H mm


COLOUR

All colours available

FINISH

Aluminium body · IP65 · beam 5°-90° · 230VAC

019



Newdeco Anti-Glare Outdoor Light

PG-WPO-020

VARIANTS

18W, 25W, 45W, 65W

DIMENSIONS

Four body sizes


COLOUR

3K / 4K / 6K

FINISH

Die-cast aluminium · CREE · CRI 80-90 · IP65 · lens 10°/30°

020



LED Beam Light 20W

PG-WPO-021

VARIANTS

20W

DIMENSIONS

150 × 90 × 125mm

COLOUR

2.7K, 3K, 4K, 6K, R, G, B

FINISH

Die-cast aluminium · 3535 chip · IP65

021



Outdoor Pillar Light ODCP20

PG-WPO-022

VARIANTS

20W

DIMENSIONS

Dia 145 × H 320mm

COLOUR

3K / 4K / 6K

FINISH

Die-cast aluminium · COB · IP65 · beam 24°

022



Fountain Light

PG-WPO-023

VARIANTS

3W, 9W RGB

DIMENSIONS

Dia 90mm / 140mm

COLOUR

3K, 4K, 6K, R, G, B

FINISH

304 stainless steel · IP65 / IP68 · 12VDC or 240VAC

023



COB Beam Light

PG-WPO-024

VARIANTS

10W, 20W, 30W

DIMENSIONS

Three body sizes

COLOUR

2.7K, 3K, 4K, 6K, R, G, B

FINISH

Die-cast aluminium · COB · IP65

024



Outdoor Pillar Light ODCP12

PG-WPO-025

VARIANTS

12W

DIMENSIONS

Dia 85 × H 240mm

COLOUR

3K / 4K / 6K

FINISH

Die-cast aluminium · COB · IP65 · beam 24°

025



COB Outdoor Highlighter

PG-WPO-026

VARIANTS

7W, 12W

DIMENSIONS

L 100 × W 65 × H 240mm

COLOUR

3K, 4K, 6K

FINISH

Aluminium, graphite grey · COB · IP65

026



Round Outdoor Highlighter Series

PG-WPO-027

VARIANTS

5-10W, 12-16W, 27-36W, 48-64W

DIMENSIONS

Ø89×95×105H / Ø130×72×172H / Ø175×97×231H /
Ø220×107×275H

COLOUR

All CCT colours

FINISH

Aluminium alloy with enamel finish, tempered glass · IP65 · lens
3°/10°/24°/45°

027



LED Beam Light 36W

PG-WPO-028

VARIANTS

36W

DIMENSIONS

150 × 130 × 155mm

COLOUR

2.7K, 3K, 4K, 6K, R, G, B

FINISH

Die-cast aluminium · 3535 chip · IP65 · beam 5°

028



Narrow Beam Pillar Highlighter 10W

PG-WPO-029

VARIANTS

10W · square body

DIMENSIONS

Compact square head with U-bracket

COLOUR

All CCT colours, R / G / B

FINISH

Die-cast aluminium · IP65 · narrow beam optic

029



Stainless Outdoor Light OD12SS

PG-WPO-030

VARIANTS

12W

DIMENSIONS

Dia 140 × Depth 80 × H 180mm, base 90mm

COLOUR

All CCT colours

FINISH

304 stainless steel · IP65 built-in / IP68 external driver · beam 10°/24°/45°/60°

030



Square Outdoor Highlighter Series

031

PG-WPO-031

VARIANTS

5-10W, 12-16W, 27-36W, 48-64W

DIMENSIONS

90×90×110H / 120×120×160H / 145×145×180H /
200×200×210H

COLOUR

All CCT colours

FINISH

Aluminium alloy with enamel finish, tempered glass · IP65 · lens
3°/10°/24°/45°



Wall Washer 36W

032

PG-WPO-032

VARIANTS

36W · lens 30°

DIMENSIONS

Linear bar, surface / bracket mounted

COLOUR

3000K

FINISH

Anodized aluminium · 24VDC · IP65



Linear Wall Washer 1200mm

033

PG-WPO-033

VARIANTS

36 × 1W

DIMENSIONS

1200L × 45W × 50H mm

COLOUR

2.7K, 3K, 4K, 6K

FINISH

Anodized aluminium · CREE · 130 lm/W · IP65 · beam 10°-60°



Wall Washer 12W (60°)

PG-WPO-034

VARIANTS

12W

DIMENSIONS

Compact linear bar

COLOUR

3000K

FINISH

24VDC · IP65 · lens 60°

034



Wall Washer 12W (5°)

PG-WPO-035

VARIANTS

12W

DIMENSIONS

L 180 × W 40 × H 25mm

COLOUR

3000K

FINISH

24VDC · 3535 LED · IP65 · lens 5°

035



Modern Outdoor Wall Lamp WL103

PG-WPO-036

VARIANTS

500mm, 1000mm

DIMENSIONS

1000 × 80 × 45H mm / 1000 × 50 × 45H mm

COLOUR

Black body, up-down output

FINISH

Aluminium + acrylic shade · IP65 · AC85-265V · beam 360°

036



Linear Wall Washer WW001

PG-WPO-037

VARIANTS

30W

DIMENSIONS

L 1000 × W 45 × H 25mm, stand height 40mm

COLOUR

2700K-6000K, RGBW, CCT

FINISH

Anodized aluminium + tempered glass · CREE · CRI >90 · IP67 · DC24V dimmable

037



Outdoor Surface Light AX-SUR230

PG-WPO-038

VARIANTS

20W, 30W, 40W

DIMENSIONS

90D × 130H / 110D × 140H / 120D × 160H mm

COLOUR

3K, 4K, 6K

FINISH

Aluminium · IP65 · beam 15°/24°/45°

038



Surface Fitting OS1024

PG-WPO-039

VARIANTS

5W, 10W

DIMENSIONS

Dia 64 × H 120mm / Dia 64 × H 160mm


COLOUR

All CCT colours

FINISH

Aluminium, dark grey · IP65 · beam 24°

039



Outdoor Surface Light ODSUR23

PG-WPO-040

VARIANTS

10W, 15W, 25W

DIMENSIONS

90 × 130 / 108 × 130 / 145 × 160 mm


COLOUR

2.7K, 3K, 4K, 6K

FINISH

Aluminium · IP65 · beam 30°

040



Zoom Track Spot AXZOTR130

PG-WPO-041

VARIANTS

10W, 20W, 30W

DIMENSIONS

Track mounted, 2/3-wire or 4-wire base


COLOUR

Black, white

FINISH

COB CREE · zoomable 15°-60° · anti-glare · dimmable (Triac, 0-10V, DALI)

041



Zoom Track Spot TZ-2023

PG-WPO-042

VARIANTS

20W

DIMENSIONS

Ø75 × 165mm

COLOUR

2.7K / 3K / 4K / 5K / 6.5K

FINISH

Aluminium alloy, black · COB CREE · CRI >80/90Ra · zoom 10°-60°

042



Track Spot TZ-2025L

PG-WPO-043

VARIANTS

20W

DIMENSIONS

Track mounted, 2-wire adaptor

COLOUR

2.7K, 3K, 4K, 6K, R, G, B

FINISH

Aluminium alloy, black · COB · beam 10°-60° · dimmable & tunable

043



Zoom Track Spot TZ-2024

PG-WPO-044

VARIANTS

30W

DIMENSIONS

Ø90 × 165mm

COLOUR

2.7K / 3K / 4K / 5K / 6.5K

FINISH

Aluminium alloy, black · COB CREE · zoom 10°-60°

044



Track Spot TZ-2026L

PG-WPO-045

VARIANTS

30W

DIMENSIONS

Track mounted, 2-wire adaptor

COLOUR

2.7K, 3K, 4K, 6K, R, G, B

FINISH

Aluminium alloy, black · COB · beam 10°-60° · dimmable & tunable

045



Window Light

PG-WPO-046

VARIANTS

9W, 18W

DIMENSIONS

L120 × W53 × H66mm / L183 × W70 × H76mm


COLOUR

Single colour & RGB

FINISH

Aluminium · IP65

046



Square Up Lighter UPQ01

PG-WPO-047

VARIANTS

5W, 10W

DIMENSIONS

65 × 65 × 120H mm, base 60 × 85H × 50D

COLOUR

Dark grey body

FINISH

Aluminium · IP65 · beam 20°

047



Up & Down Light UD10-2

PG-WPO-048

VARIANTS

15W + 15W, 20W + 20W

DIMENSIONS

Round body, wall mounted

COLOUR

Dark grey body

FINISH

Aluminium · IP65 · beam 24°

048



Up Lighter UP51015

PG-WPO-049

VARIANTS

5W, 10W, 15W, 20W

DIMENSIONS

120H×63D / 135H×63D / 145H×108D

COLOUR

Dark grey body

FINISH

Aluminium · IP65 · beam 24°

049



Square Up & Down Light UD1015

PG-WPO-050

VARIANTS

5W+5W, 10W+10W

DIMENSIONS

65 × 65 × 260H mm, base 60 × 85 × 48D

COLOUR

Dark grey body

FINISH

Aluminium · IP65 · beam 20°

050



Square Up Lighter UPQ015

PG-WPO-051

VARIANTS

15W, 20W

DIMENSIONS

90 × 90mm body, base 75 × 105H × 58D

COLOUR

Dark grey body

FINISH

Aluminium · IP65 · beam 20°

051



Outdoor Highlighter Series 24W

PG-WPO-052

VARIANTS

24W

DIMENSIONS

Ø180 × 100D × 215H mm

COLOUR

All colours available

FINISH

Aluminium body · IP65 · beam 5°-90° · 230VAC

052



Outdoor Highlighter Series 36W

PG-WPO-053

VARIANTS

36W

DIMENSIONS

Ø230 × 100D × 280H mm

COLOUR

All colours available

FINISH

Aluminium body · IP65 · beam 5°-90° · 230VAC

053



Outdoor Highlighter Series 48W

PG-WPO-054

VARIANTS

48W

DIMENSIONS

Ø290 × 110D × 350H mm

COLOUR

All colours available

FINISH

Aluminium body · IP65 · beam 5°-90° · 230VAC

054



Narrow Beam Pillar Highlighter 27W 055

PG-WPO-055

VARIANTS

27W · round multi-lens

DIMENSIONS

Round lens head with adjustable bracket

COLOUR

All CCT colours, R / G / B

FINISH

Die-cast aluminium · IP65 · narrow beam optic



Narrow Beam Pillar Highlighter 36W 056

PG-WPO-056

VARIANTS

36W · rectangular multi-lens

DIMENSIONS

Rectangular body with hood and yoke bracket

COLOUR

All CCT colours, R / G / B

FINISH

Die-cast aluminium · IP65 · narrow beam optic



Narrow Beam Pillar Highlighter 10W (Tube) 057

PG-WPO-057

VARIANTS

10W · cylindrical body

DIMENSIONS

Finned cylindrical body with base bracket

COLOUR

All CCT colours, R / G / B

FINISH

Die-cast aluminium · IP65 · beam 1°-5°



Narrow Beam Pillar Highlighter 20W 058

PG-WPO-058

VARIANTS

20W · 9-lens array

DIMENSIONS

Rectangular multi-lens body with yoke bracket

COLOUR

All CCT colours, R / G / B

FINISH

Die-cast aluminium · IP65 · narrow beam optic



Tree Spike Light — COB

059

PG-WPO-059

VARIANTS

3W, 5W, 12W

DIMENSIONS

Spike mounted, adjustable head

COLOUR

3K / 4K / 6K

FINISH

Aluminium, grey · COB · IP65 · for tree & shrub uplighting



Tree Spike Light — With Lens

060

PG-WPO-060

VARIANTS

3W, 5W, 12W

DIMENSIONS

Spike mounted, adjustable lens head

COLOUR

3K / 4K / 6K

FINISH

Aluminium, black · lens optic · IP65 · for tree & landscape lighting



06

Underwater, Pool & Inground Lights

IP68 swimming pool, fountain and underwater fittings with IP65/IP68 inground, footlight and recessed floor lights in 304/316 stainless steel and aluminium.

33 products in this section



Underwater Pool Light AXP31624

PG-UWL-001

VARIANTS

12W / 25W / 35W

DIMENSIONS

Ø160mm · only 7.5mm thickness

COLOUR

All CCT · R, G, B, RGB

FINISH

316SS marine grade ring · IP68 · 12V input

001



Swimming Pool Lamp BB-2028

PG-UWL-002

VARIANTS

18W

DIMENSIONS

Ø290mm ABS body

COLOUR

R, G, B, WW, W

FINISH

ABS · IP68 underwater · 12V / 24V constant current

002



Fountain Lamp IN6225

PG-UWL-003

VARIANTS

6 × 2W

DIMENSIONS

Ring body, 30° lens

COLOUR

3K / 4K / 6K · R, G, B

FINISH

Aluminium · IP68 · 12V / 24V driver

003



Underwater Fountain Ring Light

PG-UWL-004

VARIANTS

12W & 18W

DIMENSIONS

Ø290mm


COLOUR

R, G, B, WW, W

FINISH

ABS · IP68 under water · 12V / 24V C.C.

004



Fountain Ring Light 6W

PG-UWL-005

VARIANTS

6W

DIMENSIONS

Ø130 × H85mm · middle hole Ø38mm

COLOUR

2200-6000K · R / G / B / RGB 3in1 / RGBW 4in1

FINISH

Top 304SS cover + aluminium body · IP68 · DC24V · 15°/30°/40°/60°

005



Under Water Fitting CR6CL

PG-UWL-006

VARIANTS

6 × 1W

DIMENSIONS

Ø128mm · cut-out 110mm

COLOUR

3K, 4K, 6K, R, G, B

FINISH

Aluminium · IP68 · 6W 12V/24V · 30° beam

006

007

Under Water Light 6W

PG-UWL-007

VARIANTS

6W

DIMENSIONS

Ø70mm · height 20mm + gland

COLOUR

3K / 4K / 6K / RGB

FINISH

Stainless steel · IP68



008

Inground Light ING1002

PG-UWL-008

VARIANTS

3W

DIMENSIONS

D-45 · cut 40 · H-50mm

COLOUR

27K, 3K, 4K, 6K

FINISH

SS + aluminium · CREE LED · 18°/38° · IP65 · 12V/24V driver



009

Inground Light ING6CH 12W

PG-UWL-009

VARIANTS

12W

DIMENSIONS

Ø120mm · cut 115mm · H-80mm

COLOUR

All colours

FINISH

SS + aluminium · 45° beam · IP65 · 240VAC



010



Inground Light ING3CH

PG-UWL-010

VARIANTS

6W

DIMENSIONS

Ø100mm · cut 95mm · H-75mm

COLOUR

All colours

FINISH

SS + aluminium · 45° beam · IP65 · 240VAC

011



Inground Light ING-29

PG-UWL-011

VARIANTS

12W

DIMENSIONS

Ø160mm · cut 140mm · H-90mm

COLOUR

CREE LED, all CCT

FINISH

304SS ring + aluminium · built-in driver · 10°-90° beam · IP65 · 230VAC

012



Inground Fitting ING31W

PG-UWL-012

VARIANTS

3 × 1W

DIMENSIONS

OD-85mm · cut 75mm · H-50mm with gland

COLOUR

3K / 4K / 6K

FINISH

304SS ring + aluminium body · IP65 · 3W driver



COB Inground ING10IN

PG-UWL-013

VARIANTS

12W

DIMENSIONS

85 × 65 × 80H mm

COLOUR

CREE COB, all CCT

FINISH

304SS ring + aluminium · reflector 15°/38°/60° · IP65 · 230VAC

013



Underground Lamp 1100

PG-UWL-014

VARIANTS

3W COB

DIMENSIONS

Lamp Ø43 × H72mm · hole Ø40 × H70mm

COLOUR

Warm, White, Red, Green, Blue

FINISH

SS + stainless + plastic · Epistar COB · 60° · IP65 · AC85-265V

014



Inground Light AXIG01 1W

PG-UWL-015

VARIANTS

1W

DIMENSIONS

D-28mm · cut 25mm · L-65mm

COLOUR

3000K

FINISH

Aluminium · IP65 · 230VAC

015



Movable Inground 12W

PG-UWL-016

VARIANTS

12W

DIMENSIONS

Ø160mm · cut 140mm · H-150mm

COLOUR

CREE LED, all CCT

FINISH

SS + aluminium · Fulham inbuilt driver · adjustable head · IP65

016



3W 1-Way Surface Light AX3SUR

PG-UWL-017

VARIANTS

3W

DIMENSIONS

Ø120mm · H-35mm

COLOUR

3K / 4K / 6K

FINISH

Aluminium casting · 3535 LED · 5°-90° beam · IP65 · 230VAC

017



Inground Light ING-12IN

PG-UWL-018

VARIANTS

12W

DIMENSIONS

D-135mm · cut 128mm · H-58mm

COLOUR

All CCT

FINISH

304SS + aluminium · waterproof driver · 30° lens · IP65 · 36V

018

019

Inground Light ING6CH

PG-UWL-019

VARIANTS

6W

DIMENSIONS

Ø120mm · cut 115mm · H-80mm

COLOUR

All colours

FINISH

SS + aluminium · 5°/15°/45° beam · IP65 · 240VAC



020

Inground Light ING101

PG-UWL-020

VARIANTS

1W & 3W

DIMENSIONS

Ø45mm · cut 40mm · H-45mm

COLOUR

3K, 4K, 6K, RGB

FINISH

SS + aluminium · 5°-90° beam · IP65 & IP68 · constant current



021

Inground Light ING3CH 6W

PG-UWL-021

VARIANTS

6W

DIMENSIONS

Ø100mm · cut 95mm · H-75mm

COLOUR

All colours

FINISH

SS + aluminium · 5°/15°/30°/45° beam · IP65 · 240VAC





Mini Inground AXIG0922

PG-UWL-022

VARIANTS

1W

DIMENSIONS

D-32mm · cut 25mm · H-50mm

COLOUR

3000K

FINISH

304SS · 30° beam · IP67 · 24VDC

022



COB Inground 10W

PG-UWL-023

VARIANTS

10W COB

DIMENSIONS

Ø85mm · cut 75mm · H-75mm

COLOUR

All CCT

FINISH

304SS + aluminium · 14°/40°/60° beam · IP65

023



Mono Inground 5W COB

PG-UWL-024

VARIANTS

5W COB

DIMENSIONS

Ø60mm · cut 45mm · H-40mm

COLOUR


All CCT

FINISH

304SS + aluminium · IP65

024

025



Inground Light AXING-023

PG-UWL-025

VARIANTS

1W & 3W

DIMENSIONS

Ø45mm · cut 40mm · H-45mm

COLOUR

3K, 4K, 6K, RGB

FINISH

304SS + aluminium · 5°-90° beam · IP65 · 3V input

026



2-Way Inground 5W

PG-UWL-026

VARIANTS

5W

DIMENSIONS

Ø85mm · cut 75mm · H-75mm

COLOUR

All CCT

FINISH

Aluminium casting · CREE LED · 2-way optic · IP65

027



Inground Light AXING-1102

PG-UWL-027

VARIANTS

5W

DIMENSIONS

Ø62mm · cut 54mm · H-90mm

COLOUR

3000K

FINISH

304 stainless steel · 30° beam · IP65 · 220VAC

028



Foot Light AXFS001 3W

PG-UWL-028

VARIANTS

3W

DIMENSIONS

D-35mm · cut 26mm · L-55mm

COLOUR

27K, 3K, 4K, 6K

FINISH

Aluminium · IP65 · 3V input

029



Inground Light ING1CH

PG-UWL-029

VARIANTS

3W

DIMENSIONS

Ø65mm · cut 60mm · H-70mm

COLOUR

All colours

FINISH

SS + aluminium · 5°/15°/45° beam · IP65 · 240VAC

030



Asymmetrical Inground ING115

PG-UWL-030

VARIANTS

12W COB

DIMENSIONS

Ø115mm · cut 100mm · H-60mm

COLOUR

22K, 27K, 3K, 4K, 6K, R, G, B

FINISH

304SS + aluminium · CREE COB · outside waterproof driver · IP65

031

Underground Lamp 1102

PG-UWL-031

VARIANTS

5W COB

DIMENSIONS

Lamp Ø62 × H90mm · hole Ø54 × H90mm

COLOUR

Warm, White, Red, Green, Blue

FINISH

SS + stainless + plastic · Epistar COB · 60° · IP65 · AC85-265V

032

Foot Light AXF001 1W

PG-UWL-032

VARIANTS

1W

DIMENSIONS

D-25mm · cut 18mm · depth 32mm

COLOUR

3000K

FINISH

Die-cast aluminium · IP65 · 3V input

033

1-Way Inground AXIGHC001

PG-UWL-033

VARIANTS

1W

DIMENSIONS

D-32mm · cut 29mm · H-60mm

COLOUR

3K

FINISH

304 stainless steel · IP65 · 3V input



07

Flood Lights, Street & Solar Street Lights

Flood, street, high-bay and solar street lighting supplied on request.

TYPICAL SPECIFICATION

Wattages: 15W · 30W · 50W · 100W · 150W · 200W · 300-500W

Colour temperature: 3000K · 4000K · 6500K

Finishes: Black · Grey

7 products in this section

001



Glow LED Flood Light

PG-FLD-001

VARIANTS

30W/50W/100W/150W/200W/300W

DIMENSIONS

Confirm selected wattage before order

COLOUR

Cool White / Warm White/4000K

FINISH

Outdoor black / grey housing



Back Chowk Flood Light

PG-FLD-002

VARIANTS

50W/100W/150W/200W/300W/400W

DIMENSIONS

Confirm selected wattage before order

COLOUR

Cool White / Warm White/4000K

FINISH

Outdoor black / grey housing



High Bay Flood Light

PG-FLD-004

VARIANTS

50W/100W/200W

DIMENSIONS

Confirm selected wattage before order

COLOUR

Cool White / Warm White/4000K

FINISH

Outdoor black / grey housing

003

004

Street Light

PG-FLD-005

VARIANTS

Street-light variants

DIMENSIONS

Confirm selected wattage before order

COLOUR

Cool White / Warm White

FINISH

Outdoor black / grey housing



005

Lency LED Street Light

PG-STL-001

VARIANTS

24W / 36W / 50W / 72W / 100W / 150W / 200W

DIMENSIONS

Pole diameter 40mm (24W), 45mm (36W-72W), 65mm (100W-200W) - IP65

COLOUR

Cool White / Natural White / Warm White

FINISH

Die-cast grey housing - 120-130 lm/W - motion sensor & day-night sensor versions available



006

Preet Glow Solar Street Light

PG-SSL-001

VARIANTS

60W / 120W / 180W / 240W

DIMENSIONS

All-in-one integrated body with solar panel, remote & sensor - pole/wall bracket

COLOUR

6000K White

FINISH

Black die-cast aluminium - IP65 outdoor



DOB Flood Light

PG-PRM-FLD-FAMILY

VARIANTS

50W / 100W / 200W

DIMENSIONS

IP66 weatherproof housing

COLOUR

Cool White

FINISH

Grey powder-coated aluminium





08

Aluminium Profiles, LED Strips & Drivers

Aluminium profiles, LED strips and SMPS drivers.

TYPICAL SPECIFICATION

Wattages: 9.6W/m · 14.4W/m · 19.2W/m · 24W/m · SMPS up to 400W

Colour temperature: 2700K · 3000K · 4000K · 6500K · RGB

Finishes: Silver anodised · Black · White diffuser

73 products in this section

SPECIFICATION ONLY

Preet Glow LED Strips & Ropes

001

PG-STR-001

VARIANTS

2835/120 3CUT Copper 8mm · 2835/240 3CUT Copper 10mm · 2835/480 2-Line Pure Copper 16mm · 2835/120 Copper 5mm · 2835/180 Copper 5mm · 2835/180 CCT 8mm · 5050/60 RGB · 3535/120 RGB 10mm · 3535/144 RGB 10mm · ...

DIMENSIONS

PCB widths 5 mm / 8 mm / 10 mm / 16 mm · roll supply · IP65 and IP67 waterproof options

COLOUR

2835/120 8mm: W / WW / NW / BL / RD / GR / Ice BL / PK / AMB · 2835/240 10mm: W / WW / NW / BL / RD / GR / Ice BL / PK / AMB · 2835/480 16mm: WW · 2835/120 5mm: W / WW / NW / RD / GR / BL / Ice BL / PK · 283...

FINISH

Copper PCB · adhesive backing · cuttable at marked intervals



WL SMPS Driver

002

PG-DRV-001

VARIANTS

12V DC: 2A/24W, 5A/60W, 10A/100W, 16.7A/200W, 25A/300W, 33.3A/400W. 24V DC: 2.5A/60W, 5A/120W, 10A/240W, 12.5A/300W, 16.5A/400W.

DIMENSIONS

12V: 95×35×23 / 130×32×23 / 138×50×23 / 178×50×23 / 204×50×23 / 238×50×23 mm. 24V: 130×32×23 / 138×50×23 / 178×50×23 / 204×50×23 / 238×50×23 mm.



COLOUR

12V and 24V output options

FINISH

Strong metal structure · SKD & OEM

LA-001



LED Aluminium Profile LA-001

PG-ALP-001

VARIANTS

LA-001 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing



COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 60 Grams

LA-002



LED Aluminium Profile LA-002

PG-ALP-002

VARIANTS

LA-002 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing



COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 65 Grams

LA-003



LED Aluminium Profile LA-003

PG-ALP-003

VARIANTS

LA-003 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing




COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 95 Grams

LA-004



LED Aluminium Profile LA-004

PG-ALP-004

VARIANTS

LA-004 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing



COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 70 Grams

LA-005



LED Aluminium Profile LA-005

PG-ALP-005

VARIANTS

LA-005 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing


COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 80 Grams

LA-006



LED Aluminium Profile LA-006

PG-ALP-006

VARIANTS

LA-006 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing



COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 90 Grams

LA-007



LED Aluminium Profile LA-007

PG-ALP-007

VARIANTS

LA-007 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing


COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 80 Grams

LA-008



LED Aluminium Profile LA-008

PG-ALP-008

VARIANTS

LA-008 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing



COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 90 Grams

LA-009



LED Aluminium Profile LA-009

PG-ALP-009

VARIANTS

LA-009 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing


COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 120 Grams

LA-010



LED Aluminium Profile LA-010

PG-ALP-010

VARIANTS

LA-010 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing



COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 130 Grams

LA-011



LED Aluminium Profile LA-011

PG-ALP-011

VARIANTS

LA-011 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing



COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 112 Grams

LA-012



LED Aluminium Profile LA-012

PG-ALP-012

VARIANTS

LA-012 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing


COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 125 Grams

LA-013



LED Aluminium Profile LA-013

PG-ALP-013

VARIANTS

LA-013 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing


COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 200 Grams

LA-014



LED Aluminium Profile LA-014

PG-ALP-014

VARIANTS

LA-014 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing


COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 210 Grams

LA-015



LED Aluminium Profile LA-015

PG-ALP-015

VARIANTS

LA-015 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing



COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 230 Grams

LA-016



LED Aluminium Profile LA-016

PG-ALP-016

VARIANTS

LA-016 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing




COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 255 Grams

LA-017



LED Aluminium Profile LA-017

PG-ALP-017

VARIANTS

LA-017 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing


COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 225 Grams

LA-018



LED Aluminium Profile LA-018

PG-ALP-018

VARIANTS

LA-018 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing



COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 250 Grams

LA-019



LED Aluminium Profile LA-019

PG-ALP-019

VARIANTS

LA-019 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing



COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 410 Grams

LA-020



LED Aluminium Profile LA-020

PG-ALP-020

VARIANTS

LA-020 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing


COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 440 Grams

LA-021



LED Aluminium Profile LA-021

PG-ALP-021

VARIANTS

LA-021 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing


COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 490 Grams

LA-022



LED Aluminium Profile LA-022

PG-ALP-022

VARIANTS

LA-022 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing



COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 500 Grams

LA-023



LED Aluminium Profile LA-023

PG-ALP-023

VARIANTS

LA-023 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing



COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 490 Grams

LA-024



LED Aluminium Profile LA-024

PG-ALP-024

VARIANTS

LA-024 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing



COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 510 Grams

LA-025



LED Aluminium Profile LA-025

PG-ALP-025

VARIANTS

LA-025 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing




COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 550 Grams

LA-026



LED Aluminium Profile LA-026

PG-ALP-026

VARIANTS

LA-026 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing


COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 570 Grams

LA-027



LED Aluminium Profile LA-027

PG-ALP-027

VARIANTS

LA-027 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing



COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 50 Grams

LA-028



LED Aluminium Profile LA-028

PG-ALP-028

VARIANTS

LA-028 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing



COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 35 Grams

LA-029



LED Aluminium Profile LA-029

PG-ALP-029

VARIANTS

LA-029 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing


COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 480 Grams

LA-030



LED Aluminium Profile LA-030

PG-ALP-030

VARIANTS

LA-030 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing


COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 750 Grams

LA-031



LED Aluminium Profile LA-031

PG-ALP-031

VARIANTS

LA-031 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing


COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 660 Grams

LA-032



LED Aluminium Profile LA-032

PG-ALP-032

VARIANTS

LA-032 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing


COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 80 Kg

LA-033



LED Aluminium Profile LA-033

PG-ALP-033

VARIANTS

LA-033 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing



COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 1.200 Kg

LA-034



LED Aluminium Profile LA-034

PG-ALP-034

VARIANTS

LA-034 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing


COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 1.250 Kg

LA-035



LED Aluminium Profile LA-035

PG-ALP-035

VARIANTS

LA-035 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing



COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 1.300 Kg

LA-036



LED Aluminium Profile LA-036

PG-ALP-036

VARIANTS

LA-036 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing



COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 950 Grams

LA-037



LED Aluminium Profile LA-037

PG-ALP-037

VARIANTS

LA-037 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing


COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 160 Grams

LA-038



LED Aluminium Profile LA-038

PG-ALP-038

VARIANTS

LA-038 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing



COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 90 Grams

LA-039



LED Aluminium Profile LA-039

PG-ALP-039

VARIANTS

LA-039 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing


COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 60 Grams

LA-040



LED Aluminium Profile LA-040

PG-ALP-040

VARIANTS

LA-040 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing



COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 330 Grams

LA-041



LED Aluminium Profile LA-041

PG-ALP-041

VARIANTS

LA-041 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing



COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 160 Grams

LA-042



LED Aluminium Profile LA-042

PG-ALP-042

VARIANTS

LA-042 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing



COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 150 Grams

LA-043



LED Aluminium Profile LA-043

PG-ALP-043

VARIANTS

LA-043 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing


COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 170 Grams

LA-044



LED Aluminium Profile LA-044

PG-ALP-044

VARIANTS

LA-044 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing


COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 90 Grams

LA-045



LED Aluminium Profile LA-045

PG-ALP-045

VARIANTS

LA-045 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing



COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 280 Grams

LA-046



LED Aluminium Profile LA-046

PG-ALP-046

VARIANTS

LA-046 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing



COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 170 Grams

LA-047



LED Aluminium Profile LA-047

PG-ALP-047

VARIANTS

LA-047 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing



COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 200 Grams

LA-048



LED Aluminium Profile LA-048

PG-ALP-048

VARIANTS

LA-048 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing


COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 890 Grams

LA-049



LED Aluminium Profile LA-049

PG-ALP-049

VARIANTS

LA-049 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing

COLOUR



Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 730 Grams

LA-050

10X10



LED Aluminium Profile LA-050

PG-ALP-050

VARIANTS

LA-050 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing

COLOUR



Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 60 Grams

LA-051

12X12



LED Aluminium Profile LA-051

PG-ALP-051

VARIANTS

LA-051 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing

COLOUR



Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 66 Grams

LA-052

16X16



LED Aluminium Profile LA-052

PG-ALP-052

VARIANTS

LA-052 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing

COLOUR



Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 120 Grams

LA-053

20X14



LED Aluminium Profile LA-053

PG-ALP-053

VARIANTS

LA-053 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing

COLOUR



Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 130 Grams

LA-054

30X20



LED Aluminium Profile LA-054

PG-ALP-054

VARIANTS

LA-054 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing

COLOUR



Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 190 Grams

LA-055

50X25



LED Aluminium Profile LA-055

PG-ALP-055

VARIANTS

LA-055 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing



COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 240 Grams

LA-056



LED Aluminium Profile LA-056

PG-ALP-056

VARIANTS

LA-056 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing



COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 740 Grams

LA-057



LED Aluminium Profile LA-057

PG-ALP-057

VARIANTS

LA-057 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing



COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 750 Grams

LA-058



LED Aluminium Profile LA-058

PG-ALP-058

VARIANTS

LA-058 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing

COLOUR


Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 800 Grams




**PG-ALP-059**

Silver anodised aluminium · Weight per metre without diffuser: 1.200 Kg

**PG-ALP-060**

Silver anodised aluminium · Weight per metre without diffuser: 720 Grams

LA-061



LED Aluminium Profile LA-061

PG-ALP-061

VARIANTS

LA-061 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing



COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 230 Grams

LA-062



LED Aluminium Profile LA-062

PG-ALP-062

VARIANTS

LA-062 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing



COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 180 Grams

LA-063



LED Aluminium Profile LA-063

PG-ALP-063

VARIANTS

LA-063 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing

COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 550 Grams

LA-064



LED Aluminium Profile LA-064

PG-ALP-064

VARIANTS

LA-064 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS


Section size as per profile drawing

COLOUR


Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 360 Grams


**PG-ALP-065**

Silver anodised aluminium · Weight per metre without diffuser: 950 Grams

**PG-ALP-066**

Silver anodised aluminium · Weight per metre without diffuser: 780 Grams

LA-067



LED Aluminium Profile LA-067

PG-ALP-067

VARIANTS

LA-067 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing


COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 790 Grams

LA-068



LED Aluminium Profile LA-068

PG-ALP-068

VARIANTS

LA-068 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS


Section size as per profile drawing

COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 750 Grams

LA-069**LED Aluminium Profile LA-069****PG-ALP-069****VARIANTS**

LA-069 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS


Section size as per profile drawing

COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 980 Grams

LA-070**LED Aluminium Profile LA-070****PG-ALP-070****VARIANTS**

LA-070 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing



COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 1.100 Kg

LA-071



LED Aluminium Profile LA-071

PG-ALP-071

VARIANTS

LA-071 · 1 metre profile with PC cover, 2 end caps and 2 clips per metre

DIMENSIONS

Section size as per profile drawing

COLOUR

Milky / clear PC diffuser

FINISH

Silver anodised aluminium · Weight per metre without diffuser: 720 Grams



09

Magnetic Track & Fittings

Complete 48V magnetic track system — rails, spots, linear modules, drivers and fittings.


TYPICAL SPECIFICATION

Wattages: 6W · 12W · 18W · 24W · 36W

Colour temperature: 3000K · 4000K · 6500K

Finishes: Matt black

22 products in this section



48V Magnetic Track

PG-MAG-001

VARIANTS

As per source specification page — codes, wattages and sizes shown on the plate

DIMENSIONS

See dimension drawings on the plate

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

Black / White

001



Magnetic Laser Light

PG-MAG-002

VARIANTS

As per source specification page — codes, wattages and sizes shown on the plate

DIMENSIONS

See dimension drawings on the plate


COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

Black / White

002



Magnetic Wall Washer

PG-MAG-003

VARIANTS

As per source specification page — codes, wattages and sizes shown on the plate

DIMENSIONS

See dimension drawings on the plate


COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

Black / White

003



PG-MAG-004

VARIANTS

As per source specification page — codes, wattages and sizes shown on the plate

DIMENSIONS

See dimension drawings on the plate

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

Black / White



PG-MAG-005

VARIANTS

As per source specification page — codes, wattages and sizes shown on the plate

DIMENSIONS

See dimension drawings on the plate

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

Black / White



PG-MAG-007

VARIANTS

As per source specification page — codes, wattages and sizes shown on the plate

DIMENSIONS

See dimension drawings on the plate

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

Black / White




PG-MAG-008

As per source specification page — codes, wattages and sizes shown on the plate

See dimension drawings on the plate

Warm White 3000K / Natural White 4000K / Cool White 6500K

Black / White



PG-MAG-010

As per source specification page — codes, wattages and sizes shown on the plate

See dimension drawings on the plate

Warm White 3000K / Natural White 4000K / Cool White 6500K

Black / White



PG-MAG-011

As per source specification page — codes, wattages and sizes shown on the plate

See dimension drawings on the plate

Warm White 3000K / Natural White 4000K / Cool White 6500K

Black / White



Power Supplies, Controller & Remotes

PG-MAG-012

VARIANTS

As per source specification page — codes, wattages and sizes shown on the plate

DIMENSIONS

See dimension drawings on the plate

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

Black / White



H6mm Ultra-Thin Magnetic Track

PG-MAG-013

VARIANTS

As per source specification page — codes, wattages and sizes shown on the plate

DIMENSIONS

See dimension drawings on the plate

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

Black / White



Ultra-Thin Track Corners & Joints Modules

PG-MAG-014

VARIANTS

As per source specification page — codes, wattages and sizes shown on the plate

DIMENSIONS


See dimension drawings on the plate

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

Black / White



Laser Blade Spotlight

PG-MAG-015

VARIANTS

As per source specification page — codes, wattages and sizes shown on the plate

DIMENSIONS

See dimension drawings on the plate

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

Black / White

013



Linear Diffused Flood Light

PG-MAG-016

VARIANTS

As per source specification page — codes, wattages and sizes shown on the plate

DIMENSIONS

See dimension drawings on the plate

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

Black / White

014



Rotatable Laser Blade Spotlight & Floodlight

PG-MAG-017

VARIANTS

As per source specification page — codes, wattages and sizes shown on the plate

DIMENSIONS

See dimension drawings on the plate

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

Black / White

015



Cylinder Spotlight with Honeycomb

PG-MAG-018

VARIANTS

As per source specification page — codes, wattages and sizes shown on the plate

DIMENSIONS

See dimension drawings on the plate

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

Black / White

016



Wire Box & Track Input Modules

PG-MAG-019

VARIANTS

As per source specification page — codes, wattages and sizes shown on the plate

DIMENSIONS

See dimension drawings on the plate

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

Black / White

017



Fabric Belt Woven Track

PG-MAG-020

VARIANTS

As per source specification page — codes, wattages and sizes shown on the plate

DIMENSIONS

See dimension drawings on the plate

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

Black / White

018

019

Fabric Belt Track Kit

PG-MAG-021

VARIANTS

As per source specification page — codes, wattages and sizes shown on the plate

DIMENSIONS


See dimension drawings on the plate

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

Black / White



Track Connection Nodes & Accessories

PG-MAG-022

VARIANTS

As per source specification page — codes, wattages and sizes shown on the plate

DIMENSIONS


See dimension drawings on the plate

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

Black / White



Luminaire Conical & Semi-Circular Lamp

PG-MAG-023

VARIANTS

As per source specification page — codes, wattages and sizes shown on the plate

DIMENSIONS

See dimension drawings on the plate

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

Black / White



021

022



Luminaire Poke Ball

PG-MAG-024

VARIANTS

As per source specification page — codes, wattages and sizes shown on the plate

DIMENSIONS

See dimension drawings on the plate

COLOUR

Warm White 3000K / Natural White 4000K / Cool White 6500K

FINISH

Black / White



Let's light it right.

Parag Sanghvi · +91 93203 34216
sanghviparag1978@gmail.com

PREET GLOW · ARCHITECTURAL LIGHTING · CATALOGUE 2026